

Hashimotos sjukdom, en vanlig sköldkörtelsjukdom hos kvinnor och hur man behandlar tillståndet – Thierry Hertoghe

Referenser till 2000-Talets Vetenskap nr 1/2021.

1. McLeod DS, Cooper DS. The incidence and prevalence of thyroid autoimmunity. *Endocrine*. 2012 Oct;42(2):252-65.
2. Iddah MA, Macharia BN. Autoimmune thyroid disorders. *ISRN Endocrinol*. 2013 Jun 26;2013:509764.
3. Saravanan P, Dayan CM. Thyroid autoantibodies. *Endocrinol Metabol ClinN Am*. June 2001;30 (2): 315–37
4. Caturegli P, De Remigis A, Rose NR. Hashimoto thyroiditis: clinical and diagnostic criteria. *Autoimmun Rev*. 2014 Apr-May;13(4-5):391-7.
5. Dorairajan N, Akshaya K. Total versus subtotal thyroidectomy in Grave's disease: a retrospective analysis. *Indian Journal of Surgery*. 2002;64(6):506–510.
6. Grzelka A, Araszkiwicz A, Uruska A, Zozulińska-Ziółkiewicz D. Prevalence of anti-thyroid peroxidase in adults with type 1 diabetes participating in Poznań Prospective Study. *Adv Clin Exp Med*. 2015 Jan-Feb;24(1):79-84.
7. McCanlies E, O'Leary LA, Foley TP, Kramer MK, Burke JP, Libman A, Swan JS, Steenkiste AR, Mccarthy BJ, Trucco M, Dorman JS. Hashimoto's thyroiditis and insulin-dependent diabetes mellitus: differences among individuals with and without abnormal thyroid function. *J Clin Endocrinol Metab*. 1998 May;83(5):1548-51.
8. Nordio M, Pajalich R. Combined treatment with Myo-inositol and selenium ensures euthyroidism in subclinical hypothyroidism patients with autoimmune thyroiditis. *J Thyroid Res*. 2013;2013:424163.
9. Kalk WJ, Kalk J. Incidence and causes of hyperthyroidism in blacks. *S Afr Med J*. 1989 Feb 4;75(3):114-7.
10. Lee JM, Ha J, Jo K, Lim Y, Kim MH, Jung CK, Jung SL, Kang MI, Cha BY, Lim DJ. Risk factors for hypothyroidism in euthyroid thyroid nodule patients with lymphocytic thyroiditis on fine needle aspiration cytology. *Korean J Intern Med*. 2019 Nov;34(6):1287-1296.
11. Aversa T, Corrias A, Salerno M, Tessaris D, Di Mase R, Valenzise M, Corica D, De Luca F, Wasniewska M. Five-Year Prospective Evaluation of Thyroid Function Test Evolution in Children with Hashimoto's Thyroiditis Presenting with Either Euthyroidism or Subclinical Hypothyroidism. *Thyroid*. 2016 Oct;26(10):1450-1456.
12. Strieder TG, Tijssen JG, Wenzel BE, Endert E, Wiersinga WM. Prediction of progression to overt hypothyroidism or hyperthyroidism in female relatives of patients with autoimmune thyroid disease using the Thyroid Events Amsterdam (THEA) score. *Arch Intern Med*. 2008 Aug 11;168(15):1657-63.
13. Huber G, Mittrache C, Guglielmetti M, Huber P, Staub JJ. Predictors of overt hypothyroidism and natural course: a long-term follow-up study in impending thyroid failure. 71st Annual Meeting of the American Thyroid Association, Portland, OR, 1998; Abstract 109
14. Wang C, Crapo LM. The epidemiology of thyroid disease and implications for screening. *Endocrinol Metab Clin North Am*. 1997;26:189–218
15. Vanderpump MP, Tunbridge WM, French JM, Appleton D, Bates D, Clark F, Grimley Evans J, Hasan DM, Rodgers H, Tunbridge F, et al. The incidence of thyroid disorders

- in the community: a twenty-year follow-up of the Wickham Survey. *Clin Endocrinol (Oxf)*. 1995 Jul;43(1):55-68
16. Tunbridge WMG, Brewis M, French JM, Appleton D, Bird T, Clark F, Evered DC, Evans JG, Hall R, Smith P, Stephenson J, Young E. Natural history of autoimmune thyroiditis. *Br Med J (Clin Res Ed)*. 1981 Jan 24;282(6260):258-62
 17. Gordin A, Lamberg BA. Spontaneous hypothyroidism in symptomless autoimmune thyroiditis. A long-term follow-up study. *Clin Endocrinol (Oxf)*. 1981 Dec;15(6):537-43.
 18. Stagnaro-Green A, Schwartz A, Gismondi R, Tinelli A, Mangieri T, Negro R. High rate of persistent hypothyroidism in a large-scale prospective study of postpartum thyroiditis in southern Italy. *J Clin Endocrinol Metab*. 2011 Mar;96(3):652-7.
 19. Hollowell JG, Staehling NW, Flanders WD, Gunter EW, Spencer CA, Braverman LE. Serum TSH, T4, and thyroid antibodies in the United States population (1988 to 1994): National Health and Nutrition Examination Survey (NHANES III). *J Clin Endocrinol Metab*. 2002;87:489-9
 20. Korzeniowska K, Ramotowska A, Szypowska A, Szadkowska A, Fendler W, Kalina-Faska B, Młynarski W, Jarosz-Chobot P, Myśliwiec M. How does autoimmune thyroiditis in children with type 1 diabetes mellitus influence glycemic control, lipid profile and thyroid volume? *J Pediatr Endocrinol Metab*. 2015 Mar;28(3-4):275-8.
 21. Grzelka A, Araszkiwicz A, Uruska A, Zozulińska-Ziółkiewicz D. Prevalence of anti-thyroid peroxidase in adults with type 1 diabetes participating in Poznań Prospective Study. *Adv Clin Exp Med*. 2015 Jan-Feb;24(1):79-84.
 22. Zekry OA, Abd Elwahid HA. The association between *Helicobacter pylori* infection, type 1 diabetes mellitus, and autoimmune thyroiditis. *J Egypt Public Health Assoc*. 2013 Dec;88(3):143-7.
 23. Piątkowska E, Szalecki M. Autoimmune thyroiditis in children and adolescents with type 1 diabetes. *Pediatr Endocrinol Diabetes Metab*. 2011;17(4):173-7.
 24. Ciccone MM, De Pergola G, Porcelli MT, Scicchitano P, Caldarola P, Iacoviello M, Pietro G, Giorgino F, Favale S. Increased carotid IMT in overweight and obese women affected by Hashimoto's thyroiditis: an adiposity and autoimmune linkage? *BMC Cardiovasc Disord*. 2010 May 28;10:22.
 25. Nunes RC, Almeida MH, Rodacki M, Noé RA, Bencke MR, Oliveira JE, Vaisman M. [Prevalence of anti-thyroid peroxidase and anti-adrenal 21-hydroxylase in type 1 diabetes patients]. *Arq Bras Endocrinol Metabol*. 2009 Jun;53(4):461-5.
 26. Vestgaard M, Nielsen LR, Rasmussen AK, Damm P, Mathiesen ER. Thyroid peroxidase antibodies in pregnant women with type 1 diabetes: impact on thyroid function, metabolic control and pregnancy outcome. *Acta Obstet Gynecol Scand*. 2008;87(12):1336-42.
 27. Custro N, Scafidi V, Costanzo G, Casiglia D. [Thyroid hormone anomalies in patients with insulin-dependent diabetes mellitus and circulating antithyroid microsomal antibodies]. *Minerva Med*. 1989 May;80(5):427-30.
 28. Zekry OA, Abd Elwahid HA. The association between *Helicobacter pylori* infection, type 1 diabetes mellitus, and autoimmune thyroiditis. *J Egypt Public Health Assoc*. 2013 Dec;88(3):143-7.
 29. Piątkowska E, Szalecki M. Autoimmune thyroiditis in children and adolescents with type 1 diabetes. *Pediatr Endocrinol Diabetes Metab*. 2011;17(4):173-7.
 30. Ucan B, Sahin M, Sayki Arslan M, Colak Bozkurt N, Kizilgul M, Güngünes A, Cakal E, Ozbek M. Vitamin D treatment in patients with Hashimoto's thyroiditis may decrease the development of hypothyroidism. *Int J Vitam Nutr Res*. 2016 Feb;86(1-2):9-17.

31. Zekry OA, Abd Elwahid HA. The association between *Helicobacter pylori* infection, type 1 diabetes mellitus, and autoimmune thyroiditis. *J Egypt Public Health Assoc.* 2013 Dec;88(3):143-7.
32. Piątkowska E, Szalecki M. Autoimmune thyroiditis in children and adolescents with type 1 diabetes. *Pediatr Endocrinol Diabetes Metab.* 2011;17(4):173-7.
33. Vestgaard M, Nielsen LR, Rasmussen AK, Damm P, Mathiesen ER. Thyroid peroxidase antibodies in pregnant women with type 1 diabetes: impact on thyroid function, metabolic control and pregnancy outcome. *Acta Obstet Gynecol Scand.* 2008;87(12):1336-42.
34. Castro N, Scafidi V, Costanzo G, Casiglia D. [Thyroid hormone anomalies in patients with insulin-dependent diabetes mellitus and circulating antithyroid microsomal antibodies]. *Minerva Med.* 1989 May;80(5):427-30. (
35. Zivaljevic VR, Bukvic Bacotic BR, Sipetic SB, Stanisavljevic DM, Maksimovic JM, Diklic AD, Paunovic IR. Quality of life improvement in patients with Hashimoto thyroiditis and other goiters after surgery: A prospective cohort study. *Int J Surg.* 2015 Sep;21:150-5.
36. Traub-Weidinger T, Graf S, Beheshti M, Ofluoglu S, Zettinig G, Khorsand A, Nekolla SG, Kletter K, Dudczak R, Pirich C. Coronary vasoreactivity in subjects with thyroid autoimmunity and subclinical hypothyroidism before and after supplementation with thyroxine. *Thyroid.* 2012 Mar;22(3):245-51.
37. Guclu F, Ozmen B, Kirmaz C, Kafesciler SO, Degirmenci PB, Taneli F, Hekimsoy Z. Down-regulation of the auto-aggressive processes in patients with hypothyroid Hashimoto's thyroiditis following substitutive treatment with L-thyroxine. *Eur Cytokine Netw.* 2009 Mar;20(1):27-32.
38. Takasu N, Komiya I, Asawa T, Nagasawa Y, Yamada T. Test for recovery from hypothyroidism during thyroxine therapy in Hashimoto's thyroiditis. *Lancet.* 1990 Nov 3;336(8723):1084-6.
39. Winther KH, Cramon P, Watt T, Bjorner JB, Ekholm O, Feldt-Rasmussen U, Groenvold M, Rasmussen ÅK3, Hegedüs L, Bonnema SJ. Disease-specific as well as generic quality of life is widely impacted in autoimmune hypothyroidism and improves during the first six months of levothyroxine therapy. *PLoS One.* 2016 Jun 3;11(6):e0156925.
40. Krysiak R, Szkróbka W, Okopień B. The effect of l-thyroxine treatment on sexual function and depressive symptoms in men with autoimmune hypothyroidism. *Pharmacol Rep.* 2017 Jun;69(3):432-437.
41. Lin IC, Chen HH, Yeh SY, Lin CL, Kao CH. Risk of depression, chronic morbidities, and l-thyroxine treatment in hashimoto thyroiditis in Taiwan: A Nationwide Cohort Study. *Medicine (Baltimore).* 2016 Feb;95(6):e2842.
42. Revelli A, Casano S, Piane LD, Grassi G, Gennarelli G, Guidetti D, Massobrio M. A retrospective study on IVF outcome in euthyroid patients with anti-thyroid antibodies: effects of levothyroxine, acetyl-salicylic acid and prednisolone adjuvant treatments. *Reprod Biol Endocrinol.* 2009 Nov 27;7:137.
43. Brazzelli V, Prestinari F, Barbagallo T, Bellani E, Calcaterra V, Larizza D, Lauriola MM, Borroni G. Acquired ichthyosis and hypertrichosis due to autoimmune thyroiditis: therapeutic response to thyroxine replacement. *Pediatr Dermatol.* 2005 Sep-Oct;22(5):447-9.
44. Tagami T, Tamanaha T, Shimazu S, Honda K, Nanba K, Nomura H, Yoriko SU, Usui T, Shimatsu A, Naruse M. Lipid profiles in the untreated patients with Hashimoto thyroiditis and the effects of thyroxine treatment on subclinical hypothyroidism with Hashimoto thyroiditis. *Endocr J.* 2010;57(3):253-8.

45. Romaldini JH, Biancalana MM, Figueiredo DI, Farah CS, Mathias PC. Effect of L-thyroxine administration on antithyroid antibody levels, lipid profile, and thyroid volume in patients with Hashimoto's thyroiditis. *Thyroid*. 1996 Jun;6(3):183-8.
46. Krysiak R, Okopien B. Haemostatic effects of levothyroxine and selenomethionine in euthyroid patients with Hashimoto's thyroiditis. *Thromb Haemost*. 2012 Nov;108(5):973-80.
47. Chen WH, Chen YK, Lin CL, Yeh JH, Kao CH. Hashimoto's thyroiditis, risk of coronary heart disease, and L-thyroxine treatment: a nationwide cohort study. *J Clin Endocrinol Metab*. 2015 Jan;100(1):109-14.
48. Traub-Weidinger T, Graf S, Beheshti M, Ofluoglu S, Zettinig G, Khorsand A, Nekolla SG, Kletter K, Dudczak R, Pirich C. Coronary vasoreactivity in subjects with thyroid autoimmunity and subclinical hypothyroidism before and after supplementation with thyroxine. *Thyroid*. 2012 Mar;22(3):245-51.
49. Oflaz H, Kurt R, Sen F, Onur I, Cimen AO, Elitok A, Turkmen K, Pamukcu B, Kasikcioglu E, Bugra Z, Mercanoglu F, Ozbey N. Coronary flow reserve after L-thyroxine therapy in Hashimoto's thyroiditis patients with subclinical and overt hypothyroidism. *Endocrine*. 2007 Dec;32(3):264-70.
50. Fiore E, Rago T, Latrofa F, Provenzale MA, Piaggi P, Delitala A, Scutari M, Basolo F, Di Coscio G, Grasso L, Pinchera A, Vitti P. Hashimoto's thyroiditis is associated with papillary thyroid carcinoma: role of TSH and of treatment with L-thyroxine. *Endocr Relat Cancer*. 2011 Jul 1;18(4):429-37.
51. Leyhe T, Müssig K. Cognitive and affective dysfunctions in autoimmune thyroiditis. *Brain Behav Immun*. 2014 Oct;41:261-6.
52. Piga M, Serra A, Deiana L, Loi GL, Satta L, Di Liberto M, Mariotti S. Brain perfusion abnormalities in patients with euthyroid autoimmune thyroiditis. *Eur J Nucl Med Mol Imaging*. 2004 Dec;31(12):1639-44. (
53. Zettinig G, Asenbaum S, Fueger BJ, Hofmann A, Diemling M, Mittlboeck M, Dudczak R. Increased prevalence of subclinical brain perfusion abnormalities in patients with autoimmune thyroiditis: evidence of Hashimoto's encephalitis? *Clin Endocrinol (Oxf)*. 2003 Nov;59(5):637-43. (21.8 ml vs. 10.4 ml; P = 0.02).
54. Djurovic M, Pereira AM, Smit JWA, Vasovic O, Damjanovic S, Jemuovic Z, Pavlovic D, Miljic D, Pekic S, Stojanovic M, Asanin M, Krljanac G, Petakov M. Cognitive functioning and quality of life in patients with Hashimoto thyroiditis on long-term levothyroxine replacement. *Endocrine*. 2018 Oct;62(1):136-143.
55. Winther KH, Cramon P, Watt T, Bjorner JB, Ekholm O, Feldt-Rasmussen U, Groenvold M, Rasmussen ÅK3, Hegedüs L, Bonnema SJ. Disease-specific as well as generic quality of life is widely impacted in autoimmune hypothyroidism and improves during the first six months of levothyroxine therapy. *PLoS One*. 2016 Jun 3;11(6):e0156925.
56. Bektas Uysal H, Ayhan M. Autoimmunity affects health-related quality of life in patients with Hashimoto's thyroiditis. *Kaohsiung J Med Sci*. 2016 Aug;32(8):427-33.
57. Tuhan H, Işık S, Abacı A, Şimşek E, Anık A, Anal Ö, Böber E. Celiac disease in children and adolescents with Hashimoto thyroiditis. *Turk Pediatri Ars*. 2016 Jun 1;51(2):100-5.
58. Promberger R, Hermann M, Pallikunnel SJ, Seemann R, Meusel M, Ott J. Quality of life after thyroid surgery in women with benign euthyroid goiter: influencing factors including Hashimoto's thyroiditis. *Am J Surg*. 2014 Jun;207(6):974-9.
59. Watt T, Hegedüs L, Bjorner Jb, Groenvold M, Bonnema J, Rasmussen AK, Feldt-Rasmussen U. Is thyroid autoimmunity per se a determinant of quality of life in patients with autoimmune hypothyroidism. *eur thyroid j*. 2012 oct;1(3):186-92

60. Louwerens M1, Appelhof BC, Verloop H, Medici M, Peeters RP, Visser TJ, Boelen A, Fliers E, Smit JW, Dekkers OM. Fatigue and fatigue-related symptoms in patients treated for different causes of hypothyroidism. *Eur J Endocrinol.* 2012 Dec;167(6):809-15.
61. Müssig K, Künle A, Säuberlich AL, Weinert C, Ethofer T, Saur R, Klein R, Häring HU, Klingberg S, Gallwitz B, Leyhe T. Thyroid peroxidase antibody positivity is associated with symptomatic distress in patients with Hashimoto's thyroiditis. *Brain Behav Immun.* 2012 May;26(4):559-63.
62. Ivanova GP, Gorobets LN. Psychological aspects of systemic approach to diagnostics of mental and immunological disorders in diffuse-nodular form of Hashimoto's thyroiditis. *Zh Nevrol Psikhiatr Im S S Korsakova.* 2011;111(11 Pt 1):10-6.
63. Ott J, Promberger R, Kober F, Neuhold N, Tea M, Huber JC, Hermann M. Hashimoto's thyroiditis affects symptom load and quality of life unrelated to hypothyroidism: a prospective case-control study in women undergoing thyroidectomy for benign goiter. *Thyroid.* 2011 Feb;21(2):161-7.
64. Bazzichi L, Rossi A, Zirafa C, Monzani F, Tognini S, Dardano A, Santini F, Tonacchera M, De Servi M, Giacomelli C, De Feo F, Doveri M, Massimetti G, Bombardieri S. Thyroid autoimmunity may represent a predisposition for the development of fibromyalgia? *Rheumatol Int.* 2012 Feb;32(2):335-41.
65. Ivanova GP, Gorobets LN. Structural characteristics of asthenia in autoimmune thyroiditis. *Zh Nevrol Psikhiatr Im S S Korsakova.* 2009;109(7):9-14.
66. Bazzichi L, Rossi A, Giuliano T, De Feo F, Giacomelli C, Consensi A, Ciapparelli A, Consoli G, Dell'Osso L, Bombardieri S. Association between thyroid autoimmunity and fibromyalgic disease severity. *Clin Rheumatol.* 2007 Dec;26(12):2115-2120.
67. Yalcin MM, Altinova AE, Cavnar B, Bolayir B, Akturk M, Arslan E, Ozkan C, Cakir N, Balos Toruner F. Is thyroid autoimmunity itself associated with psychological well-being in euthyroid Hashimoto's thyroiditis? *Endocr J.* 2017 Apr 29;64(4):425-429.
68. Zoncu S, Pigliaru F, Putzu C, Pisano L, Vargiu S, Deidda M, Mariotti S, Mercurio G. Cardiac function in borderline hypothyroidism: a study by pulsed wave tissue Doppler imaging. *Eur J Endocrinol.* 2005 Apr;152(4):527-33
69. Akgul E, Kutuk U, Ertek S, Cesur M, Cehreli S, Tore HF, Erdogan G. Cardiac autonomic function and global left ventricular performance in autoimmune euthyroid chronic thyroiditis: is treatment necessary at the euthyroid stage? *Echocardiography.* 2011 Jan;28(1):15-21. (1.234 versus 1.750,
70. Krysiak R, Szkróbka W, Okopień B. The effect of l-thyroxine treatment on sexual function and depressive symptoms in men with autoimmune hypothyroidism. *Pharmacol Rep.* 2017 Jun;69(3):432-437.
71. Lin IC, Chen HH, Yeh SY, Lin CL, Kao CH. Risk of Depression, Chronic Morbidities, and l-Thyroxine Treatment in Hashimoto Thyroiditis in Taiwan: A Nationwide Cohort Study. *Medicine (Baltimore).* 2016 Feb;95(6):e2842.
72. Krysiak R, Drosdzol-Cop A, Skrzypulec-Plinta V, Okopien B. Sexual function and depressive symptoms in young women with thyroid autoimmunity and subclinical hypothyroidism. *Clin Endocrinol (Oxf).* 2016 Jun;84(6):925-31.
73. Degner D, Haust M, Meller J, Rütger E, Reulbach U. Association between autoimmune thyroiditis and depressive disorder in psychiatric outpatients. *Eur Arch Psychiatry Clin Neurosci.* 2015 Feb;265(1):67-72.
74. Quinque EM, Karger S, Arélin K, Schroeter ML, Kratzsch J, Villringer A. Structural and functional MRI study of the brain, cognition and mood in long-term adequately treated Hashimoto's thyroiditis. *Psychoneuroendocrinology.* 2014 Apr;42:188-98.

75. Giynas Ayhan M, Uguz F, Askin R, Gonen MS. The prevalence of depression and anxiety disorders in patients with euthyroid Hashimoto's thyroiditis: a comparative study. *Gen Hosp Psychiatry*. 2014 Jan-Feb;36(1):95-8.
76. Kirim S, Keskek SO, Köksal F, Haydardedeoglu FE, Bozkirli E, Toledano Y. Depression in patients with euthyroid chronic autoimmune thyroiditis. *Endocr J*. 2012;59(8):705-8.
77. van de Ven AC, Muntjewerff JW, Netea-Maier RT, de Vegt F, Ross HA, Sweep FC, Kiemeny LA, Vos PE, Buitelaar JK, Hermus AR, den Heijer M, Janzing JG. Association between thyroid function, thyroid autoimmunity, and state and trait factors of depression. *Acta Psychiatr Scand*. 2012 Nov;126(5):377-84.
78. Hardoy MC, Cadeddu M, Serra A, Moro MF, Mura G, Mellino G, Bhat KM, Altoé G, Usai P, Piga M, Carta MG. A pattern of cerebral perfusion anomalies between major depressive disorder and Hashimoto thyroiditis. *BMC Psychiatry*. 2011 Sep 13;11:148.
79. Carta MG, Hardoy MC, Carpiniello B, Murru A, Marci AR, Carbone F, Deiana L, Cadeddu M, Mariotti S. A case control study on psychiatric disorders in Hashimoto disease and Euthyroid Goitre: not only depressive but also anxiety disorders are associated with thyroid autoimmunity. *Clin Pract Epidemiol Ment Health*. 2005 Nov 10;1:23.
80. Carta MG, Loviselli A, Hardoy MC, Massa S, Cadeddu M, Sardu C, Carpiniello B, Dell'Osso L, Mariotti S. The link between thyroid autoimmunity (antithyroid peroxidase autoantibodies) with anxiety and mood disorders in the community: a field of interest for public health in the future. *BMC Psychiatry*. 2004 Aug 18;4:25.
81. Carta MG, Hardoy MC, Boi MF, Mariotti S, Carpiniello B, Usai P. Association between panic disorder, major depressive disorder and celiac disease: a possible role of thyroid autoimmunity. *J Psychosom Res*. 2002 Sep;53(3):789-93.
82. Pop VJ, Maartens LH, Leusink G, van Son MJ, Knottnerus AA, Ward AM, Metcalfe R, Weetman AP. Are autoimmune thyroid dysfunction and depression related? *J Clin Endocrinol Metab*. 1998 Sep;83(9):3194-7
83. Custro N, Scafidi V, Lo Baido R, Nastri L, Abbate G, Cuffaro MP, Gallo S, Vienna G, Notarbartolo A. Subclinical hypothyroidism resulting from autoimmune thyroiditis in female patients with endogenous depression. *J Endocrinol Invest*. 1994 Sep;17(8):641-6.
84. Haggerty JJ Jr, Evans DL, Golden RN, Pedersen CA, Simon JS, Nemeroff CB. The presence of antithyroid antibodies in patients with affective and nonaffective psychiatric disorders. *Biol Psychiatry*. 1990 Jan 1;27(1):51-60
85. Gold MS, Pottash AL, Extein I. "Symptomless" autoimmune thyroiditis in depression. *Psychiatry Res*. 1982 Jun;6(3):261-9.
86. Heiberg Brix T, Ferløv-Schwensen C, Thvilum M, Hegedüs L. Death by unnatural causes, mainly suicide, is increased in patients with Hashimoto's thyroiditis. A nationwide Danish register study. *Endocrine*. 2019 Sep;65(3):616-622. (Hashimoto's patients had an increased frequency of death by suicide (0.10% vs 0.07%, $p < 0.001$))
87. Watt T, Hegedüs L, Bjorner JB, Groenvold M, Bonnema SJ, Rasmussen AK, Feldt-Rasmussen U. Is Thyroid autoimmunity per se a determinant of quality of life in patients with autoimmune hypothyroidism? *Eur Thyroid J*. 2012 Oct;1(3):186-92. (the thyroid peroxidase antibody (TPOAb) level AND NOT the thyroid hormone levels was associated with several QoL ...Anxiety ($p = 0.004$))
88. van de Ven AC, Muntjewerff JW, Netea-Maier RT, de Vegt F, Ross HA, Sweep FC, Kiemeny LA, Vos PE, Buitelaar JK, Hermus AR, den Heijer M, Janzing JG. Association between thyroid function, thyroid autoimmunity, and state and trait factors of depression. *Acta Psychiatr Scand*. 2012 Nov;126(5):377-84.

89. Ott J, Promberger R, Kober F, Neuhold N, Tea M, Huber JC, Hermann M. Hashimoto's thyroiditis affects symptom load and quality of life unrelated to hypothyroidism: a prospective case-control study in women undergoing thyroidectomy for benign goiter. *Thyroid*. 2011 Feb;21(2):161-7.
90. Sharma PM, Javali M, Mahale R, Madhusudhan BK, Majeed AA, Srinivasa R. Hashimoto encephalopathy: A study of the clinical profile, radiological and electrophysiological correlation in a Tertiary Care Center in South India. *J Neurosci Rural Pract*. 2015 Jul-Sep;6(3):309-14.
91. Menon V, Subramanian K, Thamizh JS. Psychiatric presentations heralding Hashimoto's encephalopathy: a systematic review and analysis of cases reported in literature. *J Neurosci Rural Pract*. 2017 Apr-Jun;8(2):261-267.
92. Alink J, de Vries TW. Unexplained seizures, confusion or hallucinations: think Hashimoto encephalopathy. *Acta Paediatr*. 2008 Apr;97(4):451-3.
93. Bai Y. Neuropathy and myopathy in patients with chronic lymphocytic thyroiditis. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao*. 1990 Aug;12(4):296-9.
94. Hiraga A, Mimura M, Kamitsukasa I. Isolated inferior rectus muscle myopathy due to Hashimoto's thyroiditis. *Intern Med*. 2008;47(13):1283-4.
95. Gopinath B, Ma G, Wall JR. Eye signs and serum eye muscle and collagen XIII antibodies in patients with transient and progressive thyroiditis. *Thyroid*. 2007 Nov;17(11):1123-9.
96. Wall JR, Bernard N, Boucher A, Salvi M, Zhang ZG, Kennerdell J, Tyutyunikov A, Genovese C. Pathogenesis of thyroid-associated ophthalmopathy: an autoimmune disorder of the eye muscle associated with Graves' hyperthyroidism and Hashimoto's thyroiditis. *Clin Immunol Immunopathol*. 1993 Jul;68(1):1-8.
97. Maki Y, Takashima H. Clinical features and treatment of Hashimoto encephalopathy. *Brain Nerve*. 2016 Sep;68(9):1025-1033.
98. Sawka AM, Fatourechi V, Boeve BF, Mokri B. Rarity of encephalopathy associated with autoimmune thyroiditis: a case series from Mayo Clinic from 1950 to 1996. *Thyroid*. 2002 May;12(5):393-8.
99. Byrne OC, Zuberi SM, Madigan CA, King MD. Hashimoto's thyroiditis—a rare but treatable cause of encephalopathy in children. *Eur J Paediatr Neurol*. 2000;4(6):279-82.
100. Leyhe T, Ethofer T, Bretscher J, Künle A, Säuberlich AL, Klein R, Gallwitz B, Häring HU, Fallgatter A, Klingberg S, Saur R, Müssig K. Low performance in attention testing is associated with reduced grey matter density of the left inferior frontal gyrus in euthyroid patients with Hashimoto's thyroiditis. *Brain Behav Immun*. 2013 Jan;27(1):33-7.
101. Leyhe T, Müssig K, Weinert C, Laske C, Häring HU, Saur R, Klingberg S, Gallwitz B. Increased occurrence of weaknesses in attention testing in patients with Hashimoto's thyroiditis compared to patients with other thyroid illnesses. *Psychoneuroendocrinology*. 2008 Nov;33(10):1432-6.
102. Xu J, Zhu XY, Sun H, Xu XQ, Xu SA, Suo Y, Cao LJ, Zhou Q, Yu HJ, Cao WZ. Low vitamin D levels are associated with cognitive impairment in patients with Hashimoto thyroiditis. *BMC Endocr Disord*. 2018 Nov 26;18(1):87. (28,4% of patients with Hashimoto's thyroiditis had mild cognitive impairment)
103. Percy ME, Dalton AJ, Markovic VD, Crapper McLachlan DR, Gera E, Hummel JT, Rusk AC, Somerville MJ, Andrews DF, Walfish PG. Autoimmune thyroiditis associated with mild "subclinical" hypothyroidism in adults with Down syndrome: a comparison of patients with and without manifestations of Alzheimer disease. *Am J Med Genet*. 1990 Jun;36(2):148-54.

104. Forchetti CM, Katsamakakis G, Garron DC. Autoimmune thyroiditis and a rapidly progressive dementia: global hypoperfusion on SPECT scanning suggests a possible mechanism. *Neurology*. 1997 Aug;49(2):623-6.
105. Ikawa F, Sumi N, Nishikawa T, Maruyama H, Miyachi T. [A case of dementia with Lewy bodies and Hashimoto encephalopathy successfully treated with immunotherapy]. *Rinsho Shinkeigaku*. 2019 Feb 23;59(2):102-104.
106. Wilhelm-Gössling C, Weckbecker K, Brabant EG, Dengler R. Autoimmune encephalopathy in Hashimoto's thyroiditis. A differential diagnosis in progressive dementia syndrome. *Dtsch Med Wochenschr*. 1998 Mar 6;123(10):279-84. (
107. Nunnemann C, Kratz T. Hashimoto encephalopathy—a difficult differential diagnosis. A case report of reversible dementia and psychosis. *Fortschr Neurol Psychiatr*. 2008 Oct;76(10):610-5.
108. Niederwieser G, Buchinger W, Bonelli RM, Berghold A, Reisecker F, Költringer P, Archelos JJ. Prevalence of autoimmune thyroiditis and non-immune thyroid disease in multiple sclerosis. *J Neurol*. 2003 Jun;250(6):672-5. (significantly higher prevalence of AIT in male MS patients (9.4 %) than in male controls (1.9 %; $p = 0.03$). The prevalence of AIT in female MS patients (8.7 %) did not differ from female controls (9.2 %).)
109. Bozkurt NC, Karbek B, Cakal E, Firat H, Ozbek M, Delibasi T. The association between severity of obstructive sleep apnea and prevalence of Hashimoto's thyroiditis. *Endocr J*. 2012;59(11):981-8.
110. Erden S, Cagatay T, Buyukozturk S, Kiyani E, Cuhadaroglu C. Hashimoto thyroiditis and obstructive sleep apnea syndrome: is there any relation between them? *Eur J Med Res*. 2004 Dec 22;9(12):570-2.
111. Revelli A, Casano S, Piane LD, Grassi G, Gennarelli G, Guidetti D, Massobrio M. A retrospective study on IVF outcome in euthyroid patients with anti-thyroid antibodies: effects of levothyroxine, acetyl-salicylic acid and prednisolone adjuvant treatments. *Reprod Biol Endocrinol*. 2009 Nov 27;7:137.
112. Litwicka K, Arrivi C, Varricchio MT, Mencacci C, Greco E. In women with thyroid autoimmunity, does low-dose prednisolone administration, compared with no adjuvant therapy, improve in vitro fertilization clinical results? *J Obstet Gynaecol Res*. 2015 May;41(5):722-8.
113. McCanlies E, O'Leary LA, Foley TP, Kramer MK, Burke JP, Libman A, Swan JS, Steenkiste AR, McCarthy BJ, Trucco M, Dorman JS. Hashimoto's thyroiditis and insulin-dependent diabetes mellitus: differences among individuals with and without abnormal thyroid function. *J Clin Endocrinol Metab*. 1998 May;83(5):1548-51.
114. Elenkova A, Atanasova I, Kirilov G, Natchev E, Ivanova R, Kovatcheva R, Vandeva S, Tcharaktchiev D, Zacharieva S. Autoimmune hypothyroidism is three times more frequent in female prolactinoma patients compared to healthy women: data from a cross-sectional case-control study. *Endocrine*. 2017 Sep;57(3):486-493.
115. Elenkova A, Petrossians P, Zacharieva S, Beckers A. High prevalence of autoimmune thyroid diseases in patients with prolactinomas: A cross-sectional retrospective study in a single tertiary referral centre. *Ann Endocrinol (Paris)*. 2016 Feb;77(1):37-42.
116. Dogansen SC, Selcukbiricik OS, Bilir BE, Yarman S. The higher incidence of autoimmune thyroid disease in prolactinomas than in somatotrophinomas. *Growth Horm IGF Res*. 2016 Aug;29:45-49.
117. Radetti G, Loche S, D'Antonio V, Salerno M, Guzzetti C, Aversa T, Cassio A, Cappa M, Gastaldi R, Deluca F, Vigone MC, Tronconi GM, Corrias A. Influence of

- Hashimoto Thyroiditis on the Development of Thyroid Nodules and Cancer in Children and Adolescents. *J Endocr Soc.* 2019 Jan 4;3(3):607-616.
118. Keskin M, Savas-Erdeve S, Aycan Z. Co-existence of thyroid nodule and thyroid cancer in children and adolescents with Hashimoto thyroiditis: A Single-Center Study. *Horm Res Paediatr.* 2016;85(3):181-7.
 119. Yang X, Zhang B, Jiang YX, Zhao RN, Zhang XY, Li WB, Zhang Q, Lai XJ. Ultrasonographic features of thyroid nodules accompanied by Hashimoto thyroiditis. *Zhongguo Yi Xue Ke Xue Yuan Xue Bao.* 2014 Jun;36(3):261-6.
 120. Kaya T, Varim C, Nalbant A, Gündüz Y, Tamer A. Ultrasonographic findings of thyroid in patients with Hashimoto thyroiditis: overt hypothyroid and euthyroid. *Med Glas (Zenica).* 2013 Aug;10(2):343-7.
 121. Ucan B, Sahin M, Sayki Arslan M, Colak Bozkurt N, Kizilgul M, Güngünes A, Cakal E, Ozbek M. Vitamin D treatment in patients with Hashimoto's thyroiditis may decrease the development of hypothyroidism. *Int J Vitam Nutr Res.* 2016 Feb;86(1-2):9-17. (The mean thyroid volumes were 7.71 mL in patients with Hashimoto's thyroiditis and 5.46 mL in the healthy control group ($p < 0.01$.)
 122. Menon M, Ramachandran V. Antithyroid peroxidase antibodies in women with polycystic ovary syndrome. *J Obstet Gynaecol India.* 2017 Feb;67(1):61-65.
 123. Ganie MA, Marwaha RK, Aggarwal R, Singh S. High prevalence of polycystic ovary syndrome characteristics in girls with euthyroid chronic lymphocytic thyroiditis: a case-control study. *Eur J Endocrinol.* 2010 Jun;162(6):1117-22.
 124. Grossmann B, Saur S, Rall K, Pecher AC, Hübner S, Henes J, Henes M. Prevalence of autoimmune disease in women with premature ovarian failure. *Eur J Contracept Reprod Health Care.* 2019 Dec 18:1-4.
 125. Ayesha, Jha V, Goswami D. Premature ovarian failure: an association with autoimmune diseases. *J Clin Diagn Res.* 2016 Oct;10(10):QC10-QC12.
 126. Boelaert K, Newby PR, Simmonds MJ, Holder RL, Carr-Smith JD, Heward JM, Manji N, Allahabadia A, Armitage M, Chatterjee KV, Lazarus JH, Pearce SH, Vaidya B, Gough SC, Franklyn JA. Prevalence and relative risk of other autoimmune diseases in subjects with autoimmune thyroid disease. *Am J Med.* 2010 Feb;123(2):183.e1-9.
 127. Vallianou N, Stratigou T, Koutroumpi S, Vlassopoulou B, Tsagarakis S, Ioannidis G. Autoimmune thyroiditis in patients with type 1 diabetes mellitus: A long-term follow-up study. *Diabetes Metab Syndr.* 2019 Jan – Feb;13(1):608-611.
 128. Hwang GB, Yoon JS, Park KJ, Lee HS, Hwang JS. Prevalence of autoimmune thyroiditis in patients with type 1 diabetes: a long-term follow-up study. *Ann Pediatr Endocrinol Metab.* 2018 Mar;23(1):33-37.
 129. Kochummen E, Marwa A, Umpaichitra V, Perez-Colon S, Chin VL. Screening for autoimmune thyroiditis and celiac disease in minority children with type 1 diabetes. *J Pediatr Endocrinol Metab.* 2018 Aug 28;31(8):879-885.
 130. Paruk IM, Ganie Y, Maharaj S, Pirie FJ, Naidoo VG, Nkwanyana NM, Dinnematin HL, Ramdial PK, Motala AA. High prevalence of antithyroid peroxidase and antiparietal cell antibodies among patients with type 1 diabetes mellitus attending a tertiary diabetes centre in South Africa. *Postgrad Med J.* 2017 Jun;93(1100):338-343.
 131. Fatourehchi A, Ardakani HM, Sayarifard F, Sheikh M. Hypothyroidism among pediatric patients with type 1 diabetes mellitus, from patients' characteristics to disease severity. *Clin Pediatr Endocrinol.* 2017;26(2):73-80.
 132. Grzelka A, Araszkiwicz A, Uruska A, Zozulińska-Ziółkiewicz D. Prevalence of anti-thyroid peroxidase in adults with type 1 diabetes participating in Poznań Prospective Study. *Adv Clin Exp Med.* 2015 Jan-Feb;24(1):79-84.

133. Korzeniowska K, Ramotowska A, Szypowska A, Szadkowska A, Fendler W, Kalina-Faska B, Młynarski W, Jarosz-Chobot P, Myśliwiec M. How does autoimmune thyroiditis in children with type 1 diabetes mellitus influence glycemic control, lipid profile and thyroid volume? *J Pediatr Endocrinol Metab.* 2015 Mar;28(3-4):275-8.
134. Zekry OA, Abd Elwahid HA. The association between *Helicobacter pylori* infection, type 1 diabetes mellitus, and autoimmune thyroiditis. *J Egypt Public Health Assoc.* 2013 Dec;88(3):143-7.
135. Soyucen E, Yilmaz S, Çeltik C, Vatansever U, Öner N, Karasalihoğlu S. Seroprevalence of autoimmune thyroiditis and celiac disease in children with insulin-dependent diabetes mellitus in the Thrace region of Turkey. *Turk J Gastroenterol.* 2010 Sep;21(3):231-5.
136. Piątkowska E, Szalecki M. Autoimmune thyroiditis in children and adolescents with type 1 diabetes. *Pediatr Endocrinol Diabetes Metab.* 2011;17(4):173-7.
137. El-Eshmawy MM, El-Hawary AK, Abdel Gawad SS, El-Baiomy AA. *Helicobacter pylori* infection might be responsible for the interconnection between type 1 diabetes and autoimmune thyroiditis. *Diabetol Metab Syndr.* 2011 Oct 26;3(1):28.
138. Nunes RC, Almeida MH, Rodacki M, Noé RA, Bencke MR, Oliveira JE, Vaisman M. Prevalence of anti-thyroid peroxidase and anti-adrenal 21-hydroxylase in type 1 diabetes patients. *Arq Bras Endocrinol Metabol.* 2009 Jun;53(4):461-5.
139. Vestgaard M, Nielsen LR, Rasmussen AK, Damm P, Mathiesen ER. Thyroid peroxidase antibodies in pregnant women with type 1 diabetes: impact on thyroid function, metabolic control and pregnancy outcome. *Acta Obstet Gynecol Scand.* 2008;87(12):1336-42.
140. Faesch S, Jennane F, Izembart I, Chatenoud L, Taupin P, Martin D, Polak M, Robert JJ. [Thyroiditis and gluten intolerance: extrapancreatic auto-immune diseases associated with type 1 diabetes]. *Arch Pediatr.* 2007 Jan;14(1):24-30.
141. Kordonouri O, Hartmann R, Deiss D, Wilms M, Grüters-Kieslich A. Natural course of autoimmune thyroiditis in type 1 diabetes: association with gender, age, diabetes duration, and puberty. *Arch Dis Child.* 2005 Apr;90(4):411-4.
142. Kalicka-Kasperczyk A, Działkowiak H, Nazim J, Pituch-Noworolska A, Kasperczyk K, Bartnik-Mikuta A, Sztefko K, Starzyk J. [Thyroid peroxidase antibodies and thyroid diseases in children and adolescents with type 1 diabetes mellitus from Southeast Poland]. *Przegl Lek.* 2003;60(6):403-6.
143. Chang CC, Huang CN, Chuang LM. Autoantibodies to thyroid peroxidase in patients with type 1 diabetes in Taiwan. *Eur J Endocrinol.* 1998 Jul;139(1):44-8.
144. McCanlies E, O'Leary LA, Foley TP, Kramer MK, Burke JP, Libman A, Swan JS, Steenkiste AR, Mccarthy BJ, Trucco M, Dorman JS. Hashimoto's thyroiditis and insulin-dependent diabetes mellitus: differences among individuals with and without abnormal thyroid function. *J Clin Endocrinol Metab.* 1998 May;83(5):1548-51.
145. Radetti G, Paganini C, Gentili L, Bernasconi S, Betterle C, Borkenstein M, Cvijovic K, Kadrnka-Lovrencic M, Krzysnik C, Battelino T, et al. Frequency of Hashimoto's thyroiditis in children with type 1 diabetes mellitus. *Acta Diabetol.* 1995 Jun;32(2):121-4.
146. Custro N, Scafidi V, Costanzo G, Casiglia D. [Thyroid hormone anomalies in patients with insulin-dependent diabetes mellitus and circulating antithyroid microsomal antibodies]. *Minerva Med.* 1989 May;80(5):427-30.
147. Matejková-Behanová M, Zamrazil V, Vondra K, Vrbíková J, Kucera P, Hill M, Andel M. Autoimmune thyroiditis in non-obese subjects with initial diagnosis of Type 2 diabetes mellitus. *J Endocrinol Invest.* 2002 Oct;25(9):779-84.

148. Chen Y, Chen Y, Xia F, Wang N, Chen C, Nie X, Li Q, Han B, Zhai H, Jiang B, Shen Z, Lu Y. A higher ratio of estradiol to testosterone is associated with autoimmune thyroid disease in males. *Thyroid*. 2017 Jul;27(7):960-966.
149. Esposito T, Lobaccaro JM, Esposito MG, Monda V, Messina A, Paolisso G, Varriale B, Monda M, Messina G. Effects of low-carbohydrate diet therapy in overweight subjects with autoimmune thyroiditis: possible synergism with ChREBP. *Drug Des Devel Ther*. 2016 Sep 14;10:2939-2946.
150. İşgüven P, Gündüz Y, Kılıç M. Effects of Thyroid Autoimmunity on Early Atherosclerosis in Euthyroid Girls with Hashimoto's Thyroiditis. *J Clin Res Pediatr Endocrinol*. 2016 Jun 5;8(2):150-6.
151. Tamer G, Mert M, Tamer I, Mesci B, Kilic D, Arik S. Effects of thyroid autoimmunity on abdominal obesity and hyperlipidaemia. *Endokrynol Pol*. 2011;62(5):421-8.
152. Marzullo P, Minocci A, Tagliaferri MA, Guzzaloni G, Di Blasio A, De Medici C, Aimaretti G, Liuzzi A. Investigations of thyroid hormones and antibodies in obesity: leptin levels are associated with thyroid autoimmunity independent of bioanthropometric, hormonal, and weight-related determinants. *J Clin Endocrinol Metab*. 2010 Aug;95(8):3965-72.
153. Sahin Y, Evliyaoglu O, Erkan T, Cokugras FC, Ercan O, Kutlu T. The frequency of celiac disease in children with autoimmune thyroiditis. *Acta Gastroenterol Belg*. 2018 Jan-Mar;81(1):5-8. (
154. Tuhan H, Işık S, Abacı A, Şimşek E, Anık A, Anal Ö, Böber E. Celiac disease in children and adolescents with Hashimoto thyroiditis. *Turk Pediatri Ars*. 2016 Jun 1;51(2):100-5.
155. Metso S, Hyytiä-Ilmonen H, Kaukinen K, Huhtala H, Jaatinen P, Salmi J, Taurio J, Collin P. Gluten-free diet and autoimmune thyroiditis in patients with celiac disease. A prospective controlled study. *Scand J Gastroenterol*. 2012 Jan;47(1):43-8.
156. Duntas LH. Does celiac disease trigger autoimmune thyroiditis? *Nat Rev Endocrinol*. 2009 Apr;5(4):190-1.
157. Sari S, Yesilkaya E, Egritas O, Bideci A, Dalgic B. Prevalence of celiac disease in Turkish children with autoimmune thyroiditis. *Dig Dis Sci*. 2009 Apr;54(4):830-2.
158. Iuorio R, Mercuri V, Barbarulo F, D'Amico T, Mecca N, Bassotti G, Pietrobbono D, Gargiulo P, Picarelli A. Prevalence of celiac disease in patients with autoimmune thyroiditis. *Minerva Endocrinol*. 2007 Dec;32(4):239-43.
159. Berti I, Trevisiol C, Tommasini A, Città A, Neri E, Geatti O, Giammarini A, Ventura A, Not T. Usefulness of screening program for celiac disease in autoimmune thyroiditis. *Dig Dis Sci*. 2000 Feb;45(2):403-6.
160. Meloni GF, Tomasi PA, Bertonecchi A, Fanciulli G, Delitala G, Meloni T. Prevalence of silent celiac disease in patients with autoimmune thyroiditis from Northern Sardinia. *J Endocrinol Invest*. 2001 May;24(5):298-302. (
161. Giannakou M, Saltiki K, Mantzou E, Loukari E, Philippou G, Terzidis K, Lili K, Stavrianos C, Kyprianou M, Alevizaki M. RAGE polymorphisms and oxidative stress levels in Hashimoto's thyroiditis. *Eur J Clin Invest*. 2017 May;47(5):341-347.
162. Ruggeri RM, Vicchio TM, Cristani M, Certo R, Caccamo D, Alibrandi A, Giovinnazzo S, Saija A, Campenni A, Trimarchi F, Gangemi S. Oxidative stress and advanced glycation end products in Hashimoto's thyroiditis. *Thyroid*. 2016 Apr;26(4):504-11
163. Ates I, Yilmaz FM, Altay M, Yilmaz N, Berker D, Güler S. The relationship between oxidative stress and autoimmunity in Hashimoto's thyroiditis. *Eur J Endocrinol*. 2015 Dec;173(6):791-9.

164. Baser H, Can U, Baser S, Yerlikaya FH, Aslan U, Hidayetoglu BT. Assessment of oxidative status and its association with thyroid autoantibodies in patients with euthyroid autoimmune thyroiditis. *Endocrine*. 2015 Apr;48(3):916-23.
165. Öztürk Ü, Vural P, Özdeyrya A, Karadağ B, Doğru-Abbasoğlu S, Uysal M. Oxidative stress parameters in serum and low density lipoproteins of Hashimoto's thyroiditis patients with subclinical and overt hypothyroidism. *Int Immunopharmacol*. 2012 Dec;14(4):349-52.
166. Sterzl I, Nováková D, Vavrejšnová V, Zamrazil V. [Thyroid, ovarian and adrenal antibodies in female patients with autoimmune thyroiditis]. *Cas Lek Cesk*. 1997Apr 16;136(8):249-52.
167. Müssig K, Leyhe T, Holzmüller S, Klein R, Weinert C, Saur R, Klingberg S, Häring HU, Gallwitz B. Increased prevalence of antibodies to central nervous system tissue and gangliosides in Hashimoto's thyroiditis compared to other thyroid illnesses. *Psychoneuroendocrinology*. 2009 Sep;34(8):1252-6.
168. Pilia S, Casini MR, Cambuli VM, Ibba A, Civolani P, Zavattari P, Incani M, Mossa P, Baroni MG, Mariotti S, Loche S. Prevalence of Type 1 diabetes autoantibodies (GAD and IA2) in Sardinian children and adolescents with autoimmune thyroiditis. *Diabet Med*. 2011 Aug;28(8):896-9.
169. Fallahi P, Ferrari SM, Ruffilli I, Elia G, Biricotti M, Vita R, Benvenga S, Antonelli A. The association of other autoimmune diseases in patients with autoimmune thyroiditis: Review of the literature and report of a large series of patients. *Autoimmun Rev*. 2016 Dec;15(12):1125-1128.
170. Anaya JM, Restrepo-Jiménez P, Rodríguez Y, Rodríguez-Jiménez M, Acosta-Ampudia Y, Monsalve DM, Pacheco Y, Ramírez-Santana C, Molano-González N, Mantilla RD. Sjögren's syndrome and autoimmune thyroid disease: two sides of the same coin. *Clin Rev Allergy Immunol*. 2019 Jun;56(3):362-374.
171. Zeher M, Horvath IF, Szanto A, Szodoray P. Autoimmune thyroid diseases in a large group of Hungarian patients with primary Sjögren's syndrome. *Thyroid*. 2009 Jan;19(1):39-45.
172. Kohriyama K, Katayama Y, Tsurusako Y. Relationship between primary Sjögren's syndrome and autoimmune thyroid disease. *Nihon Rinsho*. 1999 Aug;57(8):1878-81.
173. Coll J, Anglada J, Tomas S, Reth P, Goday A, Millan M, Pujol-Borrell R, Corominas J. High prevalence of subclinical Sjögren's syndrome features in patients with autoimmune thyroid disease. *J Rheumatol*. 1997 Sep;24(9):1719-24.19 of 52
174. Pérez B, Kraus A, López G, Cifuentes M, Alarcón-Segovia D. Autoimmune thyroid disease in primary Sjögren's syndrome. *Am J Med*. 1995 Nov;99(5):480-4.
175. Posselt RT, Coelho VN, Skare TL. Hashimoto thyroiditis, anti-thyroid antibodies and systemic lupus erythematosus. *Int J Rheum Dis*. 2018 Jan;21(1):186-193.
176. Magaro M, Zoli A, Altomonte L, Mirone L, La Sala L, Barini A, Scuderi F. The association of silent thyroiditis with active systemic lupus erythematosus. *Clin Exp Rheumatol*. 1992 Jan;10(1):67-70
177. Weetman AP, Walport MJ. The association of autoimmune thyroiditis with systemic lupus erythematosus. *Br J Rheumatol*. 1987 Oct;26(5):359-61. (Twenty-one (51%) of the SLE patients had thyroid antibodies compared to 11 (27%) controls (p<0,05))
178. Lyakhovitsky A, Shemer A, Amichai B. Increased prevalence of thyroid disorders in patients with new onset alopecia areata. *Australas J Dermatol*. 2015 May;56(2):103-6. (5% with euthyroid Hashimoto's thyroiditis.)

179. Baars MP, Greebe RJ, Pop VJ. High prevalence of thyroid peroxidase antibodies in patients with alopecia areata. *J Eur Acad Dermatol Venereol*. 2013 Jan;27(1):e137-9.
180. Pasaoglu H, Soyuer U, Astaal M. Thyroid antibodies in alopecia totalis. *Cent Afr J Med*. 1991 Oct;37(10):337-9. (25% (6/24) of patients with alopecia totalis had antithyroid antibodies.)
181. Brazzelli V, Larizza D, Muzio F, Fornara L, Calcaterra V, Vassallo C, Scaglia F, Borroni G. Acquired ichthyosis in a child with autoimmune thyroiditis. *Pediatr Dermatol*. 2010 Jul-Aug;27(4):413-4.
182. Pedullà M, Fierro V, Papacciuolo V, Alfano R, Ruocco E. Atopy as a risk factor for thyroid autoimmunity in children affected with atopic dermatitis. *J Eur Acad Dermatol Venereol*. 2014 Aug;28(8):1057-60.
183. Pedullà M, Miraglia Del Giudice M, Fierro V, Arrigo T, Gitto E, Salpietro A, Lionetti E, Salpietro V, Leonardi S, Santaniello F, Perrone L. Atopy as a risk factor for thyroid autoimmunity in children. *J Biol Regul Homeost Agents*. 2012 Jan-Mar;26(1 Suppl):S9-14.
184. Granier F, Marchand C, Navarranne A, Hermier C, Perrot H. Systemic urticaria associated with autoimmune thyroiditis. *Rev Med Interne*. 1987 Mar-Apr;8(2):169-72.
185. Delèvaux I, André M, Tridon A, Aumaître O. Chronic urticaria and Hashimoto-Hashimoto's thyroiditis: report of 6 cases. *Rev Med Interne*. 2001 Mar;22(3):232-7.
186. Alidrisi HA, Al Hamdi K, Mansour AA. Is There Any Association Between Psoriasis and Hashimoto's Thyroiditis? *Cureus*. 2019 Mar 19;11(3):e4269
187. Gill L, Zarbo A, Isedeh P, Jacobsen G, Lim HW, Hamzavi I. Comorbid autoimmune diseases in patients with vitiligo: A cross-sectional study. *J Am Acad Dermatol*. 2016 Feb;74(2):295-302.
188. Dash R, Mohapatra A, Manjunathswamy BS. Anti-thyroid peroxidase antibody in vitiligo: a prevalence study. *J Thyroid Res*. 2015;2015:192736.
189. Lim HK, Bae MI, Jeong KH, Shin MK, Lee MH. Lim HK, Bae MI, Jeong KH, Shin MK, Lee MH. Positivity rates of antithyroid antibody, antinuclear antibody and thyroid peroxidase antibody in different type of vitiligo. *Clin Exp Dermatol*. 2016 Apr;41(3):242-7. (
190. Yang Y, Huang G, Yan X, Qing Z. Clinical Analysis of Thyroglobulin Antibody and Thyroid Peroxidase Antibody and their Association with Vitiligo. *Indian J Dermatol*. 2014 Jul;59(4):357-60.
191. Kroon MW, Vrijman C, Chandeeck C, Wind BS, Wolkerstorfer A, Luiten RM, Bos JD, Geskus RB, van Trotsenburg P, van der Veen JP. High prevalence of autoimmune thyroiditis in children and adolescents with vitiligo. *Horm Res Paediatr*. 2013;79:137-44.
192. Prindaville B, Rivkees SA. Incidence of vitiligo in children with Graves' disease and Hashimoto's thyroiditis. *Int J Pediatr Endocrinol*. 2011 Nov 18;2011(1):18.
193. Uncu S, Yaylı S, Bahadır S, Okten A, Alpay K. Relevance of autoimmune thyroiditis in children and adolescents with vitiligo. *Int J Dermatol*. 2011 Feb;50(2):175-9.
194. Kakourou T, Kanaka-Gantenbein C, Papadopoulou A, Kaloumenou E, Chrousos GP. Increased prevalence of chronic autoimmune (Hashimoto's) thyroiditis in children and adolescents with vitiligo. *J Am Acad Dermatol*. 2005 Aug;53(2):220-3.
195. İşgüven P, Gündüz Y, Kılıç M. Effects of thyroid autoimmunity on early atherosclerosis in euthyroid girls with Hashimoto's thyroiditis. *J Clin Res Pediatr Endocrinol*. 2016 Jun 5;8(2):150-6.

196. Lin IC, Chen HH, Yeh SY, Lin CL, Kao CH. Risk of Depression, Chronic Morbidities, and l-Thyroxine Treatment in Hashimoto Thyroiditis in Taiwan: A Nationwide Cohort Study. *Medicine (Baltimore)*. 2016 Feb;95(6):e2842.
197. Korzeniowska K, Ramotowska A, Szypowska A, Szadkowska A, Fendler W, Kalina-Faska B, Młynarski W, Jarosz-Chobot P, Myśliwiec M. How does autoimmune thyroiditis in children with type 1 diabetes mellitus influence glycemic control, lipid profile and thyroid volume? *J Pediatr Endocrinol Metab*. 2015 Mar;28(3-4):275-8.
198. Tamer G, Mert M, Tamer I, Mesci B, Kilic D, Arik S. Effects of thyroid autoimmunity on abdominal obesity and hyperlipidaemia. *Endokrynol Pol*. 2011;62(5):421-8.
199. Ciccone MM, De Pergola G, Porcelli MT, Scicchitano P, Caldarola P, Iacoviello M, Pietro G, Giorgino F, Favale S. Increased carotid IMT in overweight and obese women affected by Hashimoto's thyroiditis: an adiposity and autoimmune linkage? *BMC Cardiovasc Disord*. 2010 May 28;10:22. (
200. de Maertelaer V, Calay R, Neve P. Thyroid, lipid and other biological variables in elderly patients with asymptomatic autoimmune thyroiditis: a statistical analysis. *Gerontology*. 1987;33(5):315-26.
201. Ciccone F, Santaguida MG, My G, Mancuso G, Papa A, Persechino R, Virili C, Brusca N, Tofani A, Scopinaro F, Centanni M. Hyperhomocysteinemia in acute iatrogenic hypothyroidism: the relevance of thyroid autoimmunity. *J Endocrinol Invest*. 2018 Jul;41(7):831-837.
202. Cho KI, Lee JH. The impact of thyroid autoimmunity on arterial stiffness in postmenopausal patients with fibromyalgia. *Int J Rheum Dis*. 2017 Dec;20(12):1978-1986.
203. Owecki M, Sawicka-Gutaj N, Owecki MK, Ambrosius W, Dorszewska J, Oczkowska A, Michalak M, Fischbach J, Kozubski W, Ruchała M. Pulsatility index in carotid arteries is increased in levothyroxine-treated Hashimoto disease. *Horm Metab Res*. 2015 Jul;47(8):577-80.
204. Stamatelopoulos KS, Kyrkou K, Chrysochoou E, Karga H, Chatzidou S, Georgiopoulos G, Georgiou S, Xiromeritis K, Papamichael CM, Alevizaki M. Arterial stiffness but not intima-media thickness is increased in euthyroid patients with Hashimoto's thyroiditis: The effect of menopausal status. *Thyroid*. 2009 Aug;19(8):857-62.
205. Feng X, Zhao L, Jiang J, Ma W, Shang X, Zhou Q, Zhang H, Yu S, Qi Y. Discriminatory value of carotid artery elasticity changes for the evaluation of thyroid dysfunction in patients with hashimoto's thyroiditis. *J Clin Ultrasound*. 2016 Jun;44(5):298-304.
206. İşgüven P, Gündüz Y, Kılıç M. Effects of Thyroid Autoimmunity on Early Atherosclerosis in Euthyroid Girls with Hashimoto's Thyroiditis. *J Clin Res Pediatr Endocrinol*. 2016 Jun 5;8(2):150-6.
207. Topaloglu O, Gokay F, Kucukler K, Burnik FS, Mete T, Yavuz HC, Berker D, Guler S. Is autoimmune thyroiditis a risk factor for early atherosclerosis in premenopausal women even if in euthyroid status? *Endocrine*. 2013 Aug;44(1):145-51.
208. Ciccone MM, De Pergola G, Porcelli MT, Scicchitano P, Caldarola P, Iacoviello M, Pietro G, Giorgino F, Favale S. Increased carotid IMT in overweight and obese women affected by Hashimoto's thyroiditis: an adiposity and autoimmune linkage? *BMC Cardiovasc Disord*. 2010 May 28;10:22.

209. Krysiak R, Okopien B. Haemostatic effects of levothyroxine and selenomethionine in euthyroid patients with Hashimoto's thyroiditis. *Thromb Haemost.* 2012 Nov;108(5):973-80.
210. Cetinkalp S, Tobu M, Karadeniz M, Buyukkeçeci F, Yilmaz C. The effect of hormone replacement treatment on thrombin-activatable fibrinolysis inhibitor activity levels in patients with Hashimoto thyroiditis. *Intern Med.* 2009;48(5):281-5. ()
211. Costa CC, Medeiros M, Watanabe K, Martin P, Skare TL. Hashimoto thyroiditis may be associated with a subset of patients with systemic sclerosis with pulmonary hypertension. *Rev Bras Reumatol.* 2014 Sep-Oct;54(5):366-70.
212. Sahin M, Sade LE, Tutuncu NB, Gursoy A, Kebapçilar L, Muderrisoglu H, Guvener ND. Systolic pulmonary artery pressure and echocardiographic measurements in patients with euthyroid Hashimoto's thyroiditis. *J Endocrinol Invest.* 2009 Jun;32(6):530-2.
213. Brauman A, Rosenberg T, Gilboa Y, Algom M, Fuchs L, Schlesinger Z. Prevalence of mitral valve prolapse in chronic lymphocytic thyroiditis and nongoitrous hypothyroidism. *Cardiology.* 1988;75(4):269-73. (Mitral valve prolapse was found in 16.09% of patients with chronic lymphocytic thyroiditis compared to 6 and 5.4% in nongoitrous hypothyroidism and normal controls, respectively. The result is statistically significant, $p < 0.02$.)
214. Lee SW, Cho KI, Kim HS, Heo JH, Cha TJ. The Impact of Subclinical Hypothyroidism or Thyroid Autoimmunity on Coronary Vasospasm in Patients without Associated Cardiovascular Risk Factors. *Korean Circ J.* 2015 Mar;45(2):125-30.
215. Lee JM, Ha J, Jo K, Lim Y, Kim MH, Jung CK, Jung SL, Kang MI, Cha BY, Lim DJ. Risk factors for hypothyroidism in euthyroid thyroid nodule patients with lymphocytic thyroiditis on fine needle aspiration cytology. *Korean J Intern Med.* 2019 Nov;34(6):1287-1296.
216. Carbotta G, Tartaglia F, Giuliani A, Carbotta S, Tromba L, Jacomelli I, De Anna L, Fumarola A. Cardiovascular risk in chronic autoimmune thyroiditis and subclinical hypothyroidism patients. A cluster analysis. *Int J Cardiol.* 2017 Mar 1;230:115-119.
217. Aversa T, Corrias A, Salerno M, Tessaris D, Di Mase R, Valenzise M, Corica D, De Luca F, Wasniewska M. Five-Year Prospective Evaluation of Thyroid Function Test Evolution in Children with Hashimoto's Thyroiditis Presenting with Either Euthyroidism or Subclinical Hypothyroidism. *Thyroid.* 2016 Oct;26(10):1450-1456.
218. Lin IC, Chen HH, Yeh SY, Lin CL, Kao CH. Risk of Depression, Chronic Morbidities, and l-Thyroxine Treatment in Hashimoto Thyroiditis in Taiwan: A Nationwide Cohort Study. *Medicine (Baltimore).* 2016 Feb;95(6):e2842.
219. Chen WH, Chen YK, Lin CL, Yeh JH, Kao CH. Hashimoto's thyroiditis, risk of coronary heart disease, and L-thyroxine treatment: a nationwide cohort study. *J Clin Endocrinol Metab.* 2015 Jan;100(1):109-14
220. Traub-Weidinger T, Graf S, Beheshti M, Ofluoglu S, Zettinig G, Khorsand A, Nekolla SG, Kletter K, Dudczak R, Pirich C. Coronary vasoreactivity in subjects with thyroid autoimmunity and subclinical hypothyroidism before and after supplementation with thyroxine. *Thyroid.* 2012 Mar;22(3):245-51.
221. Oflaz H, Kurt R, Sen F, Onur I, Cimen AO, Elitok A, Turkmen K, Pamukcu B, Kasikcioglu E, Bugra Z, Mercanoglu F, Ozbey N. Coronary flow reserve after L-thyroxine therapy in Hashimoto's thyroiditis patients with subclinical and overt hypothyroidism. *Endocrine.* 2007 Dec;32(3):264-70.

222. Salabè GB, Salabè-Lotz H, Puletti M, Milani C. Hypothyroidism and thyroid autoimmunity in acute myocardial infarction (AMI). *Thyroidology*. 1989 Aug;1(2):67-72.
223. Tièche M, Lupi GA, Gutzwiller F, Grob PJ, Studer H, Bürgi H. Borderline low thyroid function and thyroid autoimmunity. Risk factors for coronary heart disease? *Br Heart J*. 1981 Aug;46(2):202-6.
224. Bastenie PA, Vanhaelst L, Golstein J, Smets P. Asymptomatic autoimmune thyroiditis and coronary heart-disease. Cross-sectional and prospective studies. *Lancet*. 1977 Jul 23;2(8030):155-8.
225. Salabè GB, Salabè-Lotz H, Puletti M, Milani C. Hypothyroidism and thyroid autoimmunity in acute myocardial infarction (AMI). *Thyroidology*. 1989 Aug;1(2):67-72.
226. Zheng W, Zhang YJ, Li SY, Liu LL, Sun J. Painless thyroiditis-induced acute myocardial infarction with normal coronary arteries. *Am J Emerg Med*. 2015 Jul;33(7):983.e5-10.
227. Karch A, Thomas SL. Autoimmune thyroiditis as a risk factor for stroke: a historical cohort study. *Neurology*. 2014 May 6;82(18):1643-52.
228. Antonelli A, Fallahi P, Ferrari SM, Colaci M, Giuggioli D, Saraceno G, Benvenga S, Ferri C. Increased CXCL9 serum levels in hepatitis C-related mixed cryoglobulinemia, with autoimmune thyroiditis, associated with high levels of CXCL10. *J Interferon Cytokine Res*. 2013 Dec;33(12):739-45.
229. Antonelli A, Fallahi P, Ferrari SM, Sebastiani M, Manfredi A, Mazzi V, Fabiani S, Centanni M, Marchi S, Ferri C. Circulating CXCL11 and CXCL10 are increased in hepatitis C-associated cryoglobulinemia in the presence of autoimmune thyroiditis. *Mod Rheumatol*. 2012 Sep;22(5):659-67.
230. Antonelli A, Ferri C, Fallahi P, Ferrari SM, Frascerra S, Carpi A, Nicolini A, Ferrannini E. Alpha-chemokine CXCL10 and beta-chemokine CCL2 serum levels in patients with hepatitis C-associated cryoglobulinemia in the presence or absence of autoimmune thyroiditis. *Metabolism*. 2008 Sep;57(9):1270-7.
231. Antonelli A, Ferri C, Fallahi P, Ferrari SM, Frascerra S, Sebastiani M, Franzoni F, Galetta F, Ferrannini E. High values of CXCL10 serum levels in patients with hepatitis C associated mixed cryoglobulinemia in presence or absence of autoimmune thyroiditis. *Cytokine*. 2008 Apr;42(1):137-43.
232. Grozdinska A, Hofmann E, Schmid M, Hirschfelder U. Prevalence of temporomandibular disorders in patients with Hashimoto thyroiditis. *J Orofac Orthop*. 2018 Jul;79(4):277-288.
233. Bertrand J, David L, Pousset G, Salle B, François R. Hashimoto's thyroiditis and myopathy syndrome in children. *Lyon Med*. 1969 Jun 22;221(25):1493-6.
234. Macejová Z, Benhatchi K, Lazúrová I. Chronic autoimmune thyroiditis and connective tissue system diseases. *Vnitr Lek*. 2006 Sep;52(9):801-4.
235. Tagoe CE. Rheumatic symptoms in autoimmune thyroiditis. *Curr Rheumatol Rep*. 2015 Feb;17(2):5
236. Promberger R, Hermann M, Pallikunnel SJ, Seemann R, Meusel M, Ott J. Quality of life after thyroid surgery in women with benign euthyroid goiter: influencing factors including Hashimoto's thyroiditis. *Am J Surg*. 2014 Jun;207(6):974-9.
237. Cho KI, Lee JH. The impact of thyroid autoimmunity on arterial stiffness in postmenopausal patients with fibromyalgia. *Int J Rheum Dis*. 2017 Dec;20(12):1978-86.

238. Haliloglu S, Ekinci B, Uzkeser H, Sevimli H, Carlioglu A, Macit PM. Fibromyalgia in patients with thyroid autoimmunity: prevalence and relationship with disease activity. *Clin Rheumatol*. 2017 Jul;36(7):1617-1621.
239. Ahmad J, Blumen H, Tagoe CE. Association of antithyroid peroxidase antibody with fibromyalgia in rheumatoid arthritis. *Rheumatol Int*. 2015 Aug;35(8):1415-21.
240. Suk JH, Lee JH, Kim JM. Association between thyroid autoimmunity and fibromyalgia. *Exp Clin Endocrinol Diabetes*. 2012 Jul;120(7):401-4. (fibromyalgia patients had higher prevalence of positive thyroperoxidase antibody (p=0,04))
241. Bazzichi L, Rossi A, Zirafa C, Monzani F, Tognini S, Dardano A, Santini F, Tonacchera M, De Servi M, Giacomelli C, De Feo F, Doveri M, Massimetti G, Bombardieri S. Thyroid autoimmunity may represent a predisposition for the development of fibromyalgia? *Rheumatol Int*. 2012 Feb;32(2):335-41.
242. Bazzichi L, Rossi A, Giuliano T, De Feo F, Giacomelli C, Consensi A, Ciapparelli A, Consoli G, Dell'Osso L, Bombardieri S. Association between thyroid autoimmunity and fibromyalgic disease severity. *Clin Rheumatol*. 2007 Dec;26(12):2115-2120.
243. Aarflot T, Bruusgaard D. Association between chronic widespread musculoskeletal complaints and thyroid autoimmunity. Results from a community survey. *Scand J Prim Health Care*. 1996 Jun;14(2):111-5.
244. Antonelli A, Delle Sedie A, Fallahi P, Ferrari SM, Maccheroni M, Ferrannini E, Bombardieri S, Riente L. High prevalence of thyroid autoimmunity and hypothyroidism in patients with psoriatic arthritis. *J Rheumatol*. 2006 Oct;33(10):2026-8.
245. Harel L, Prais D, Uziel Y, Mukamel M, Hashkes P, Harel G, Amir J, Monselise Y, Press J. Increased prevalence of antithyroid antibodies and subclinical hypothyroidism in children with juvenile idiopathic arthritis. *J Rheumatol*. 2006 Jan;33(1):164-6
246. Stagi S, Giani T, Simonini G, Falcini F. Thyroid function, autoimmune thyroiditis and coeliac disease in juvenile idiopathic arthritis. *Rheumatology (Oxford)*. 2005 Apr;44(4):517-20.
247. Pongratz R, Buchinger W, Semlitsch G, Meister E, Nadler K, Rainer F. Increased occurrence of autoimmune thyroiditis in patients with chronic rheumatoid arthritis. *Acta Med Austriaca*. 2000;27(2):58-60.
248. LeRiche NG, Bell DA. Hashimoto's thyroiditis and polyarthritis: a possible subset of seronegative polyarthritis. *Ann Rheum Dis*. 1984 Aug;43(4):594-8.
249. Costa CC, Medeiros M, Watanabe K, Martin P, Skare TL. Hashimoto thyroiditis may be associated with a subset of patients with systemic sclerosis with pulmonary hypertension. *Rev Bras Reumatol*. 2014 Sep-Oct;54(5):366-70.
250. Shrestha A, Cohen HW, Tagoe CE. Association of spinal degenerative disc disease with thyroid autoimmunity. *Clin Exp Rheumatol*. 2016 Mar-Apr;34(2):296-302. (patients with autoimmune thyroiditis had higher frequency of spinal degenerative disc disease, OR 1.8 (95% CI 1.6, 2.2), p<0.001))
251. Liang J, Zeng W, Fang F, Yu T, Zhao Y, Fan X, Guo N, Gao X. Clinical analysis of Hashimoto thyroiditis coexistent with papillary thyroid cancer in 1392 patients. *Acta Otorhinolaryngol Ital*. 2017 Oct;37(5):393-400.
252. Wu X, Lun Y, Jiang H, Gang Q, Xin S, Duan Z, Zhang J. Coexistence of thyroglobulin antibodies and thyroid peroxidase antibodies correlates with elevated thyroid-stimulating hormone level and advanced tumor stage of papillary thyroid cancer. *Endocrine*. 2014 Aug;46(3):554-60.

253. Vasileiadis I, Boutzios G, Charitoudis G, Koukoulioti E, Karatzas T. Thyroglobulin antibodies could be a potential predictive marker for papillary thyroid carcinoma. *Ann Surg Oncol*. 2014 Aug;21(8):2725-32.
254. Boi F, Minerba L, Lai ML, Marziani B, Figus B, Spanu F, Borghero A, Mariotti S. Both thyroid autoimmunity and increased serum TSH are independent risk factors for malignancy in patients with thyroid nodules. *J Endocrinol Invest*. 2013 May;36(5):313-20.
255. Ahmed T, Ali AA, Ahmed SU, Jahan M. Association of positive thyroid auto antibodies with thyroid carcinoma. *Mymensingh Med J*. 2012 Oct;21(4):654-61.
256. Kim ES, Lim DJ, Baek KH, Lee JM, Kim MK, Kwon HS, Song KH, Kang MI, Cha BY, Lee KW, Son HY. Thyroglobulin antibody is associated with increased cancer risk in thyroid nodules. *Thyroid*. 2010 Aug;20(8):885-91.
257. Anderson L, Middleton WD, Teefey SA, Reading CC, Langer JE, Desser T, Szabunio MM, Mandel SJ, Hildebolt CF, Cronan JJ. Hashimoto thyroiditis: Part 2, sonographic analysis of benign and malignant nodules in patients with diffuse Hashimoto thyroiditis. *AJR Am J Roentgenol*. 2010 Jul;195(1):216-22.
258. Larson SD, Jackson LN, Riall TS, Uchida T, Thomas RP, Qiu S, Evers BM. Increased incidence of well-differentiated thyroid cancer associated with Hashimoto thyroiditis and the role of the PI3k/Akt pathway. *J Am Coll Surg*. 2007 May;204(5):764-73
259. Costanzo M, Caruso LA, Testa R, Marziani A, Cannizzaro MA. [Hashimoto thyroiditis. Possible cause or consequence of a malignant thyroid tumor]. *Ann Ital Chir*. 2006 Nov-Dec;77(6):469-71.
260. Boi F, Lai ML, Marziani B, Minerba L, Faa G, Mariotti S. High prevalence of suspicious cytology in thyroid nodules associated with positive thyroid autoantibodies. *Eur J Endocrinol*. 2005 Nov;153(5):637-42.
261. Cipolla C, Sandonato L, Graceffa G, Fricano S, Torcivia A, Vieni S, Latteri S, Latteri MA. Hashimoto thyroiditis coexistent with papillary thyroid carcinoma. *Am Surg*. 2005 Oct;71(10):874-8.
262. Liang J, Zeng W, Fang F, Yu T, Zhao Y, Fan X, Guo N, Gao X. Clinical analysis of Hashimoto thyroiditis coexistent with papillary thyroid cancer in 1392 patients. *Acta Otorhinolaryngol Ital*. 2017 Oct;37(5):393-400.
263. Kwak HY, Chae BJ, Eom YH, Hong YR, Seo JB, Lee SH, Song BJ, Jung SS, Bae JS. Does papillary thyroid carcinoma have a better prognosis with or without Hashimoto thyroiditis? *Int J Clin Oncol*. 2015 Jun;20(3):463-73.
264. Moon S, Chung HS, Yu JM, Yoo HJ, Park JH, Kim DS, Park YJ. Associations between Hashimoto Thyroiditis and Clinical Outcomes of Papillary Thyroid Cancer: A Meta-Analysis of Observational Studies. *Endocrinol Metab (Seoul)*. 2018 Dec;33(4):473-484.
265. Aho K, Gordin A, Palosuo T, Punsar S, Valkeila E, Karvonen M, Inkovaara J, Pasternack A. Thyroid autoimmunity and cardiovascular diseases. *Eur Heart J*. 1984 Jan;5(1):43-6.
266. Huber A, Menconi F, Corathers S, Jacobson EM, Tomer Y. Joint genetic susceptibility to type 1 diabetes and autoimmune thyroiditis: from epidemiology to mechanisms. *Endocr Rev*. 2008 Oct; 29(6):697-725.
267. Kahles H, Fain PR, Baker P, Eisenbarth G, Badenhop K. Genetics of Autoimmune Thyroiditis in Type 1 Diabetes Reveals a Novel Association With DPB1*0201: Data From the Type 1 Diabetes Genetics Consortium. *Diabetes Care*. 2015 Oct;38 Suppl 2:S21-8.

268. Huber A, Menconi F, Corathers S, Jacobson EM, Tomer Y. Joint genetic susceptibility to type 1 diabetes and autoimmune thyroiditis: from epidemiology to mechanisms. *Endocr Rev.* 2008 Oct;29(6):697-725.
269. Lopez ER, Zwermann O, Segni M, Meyer G, Reincke M, Seissler J, Herwig J, Usadel KH, Badenhoop K. A promoter polymorphism of the CYP27B1 gene is associated with Addison's disease, Hashimoto's thyroiditis, Graves' disease and type 1 diabetes mellitus in Germans. *Eur J Endocrinol.* 2004 Aug;151(2):193-7.
270. Zhao F, Feng J, Li J, Zhao L, Liu Y, Chen H, Jin Y, Zhu B, Wei Y. Alterations of the gut microbiota in Hashimoto's thyroiditis patients. *Thyroid.* 2018 Feb;28(2):175-186.
271. Moshkelgosha S, Masetti G, Berchner-Pfannschmidt U, Verhasselt HL, Horstmann M, Diaz-Cano S, Noble A, Edelman B, Covelli D, Plummer S, Marchesi JR, Ludgate M, Biscarini F, Eckstein A, Banga JP. Gut microbiome in BALB/c and C57BL/6J mice undergoing experimental thyroid autoimmunity associate with differences in immunological responses and thyroid function. *Horm Metab Res.* 2018 Dec;50(12):932-941. (
272. Penhale WJ, Young PR. The influence of the normal microbial flora on the susceptibility of rats to experimental autoimmune thyroiditis. *Clin Exp Immunol.* 1988 May;72(2):288-92.
273. Virili C, Fallahi P, Antonelli A, Benvenega S, Centanni M. Gut microbiota and Hashimoto's thyroiditis. *Rev Endocr Metab Disord.* 2018 Dec;19(4):293-300.
274. Mori K, Nakagawa Y, Ozaki H. Does the gut microbiota trigger Hashimoto's thyroiditis?. *Discovery Medicine.* 2012;14(78):321-326.
275. Abdelhamid L, Luo XM. Retinoic acid, leaky gut, and autoimmune diseases. *Nutrients.* 2018 Aug 3;10(8). pii: E1016.
276. Mu Q, Kirby J, Reilly CM, Luo XM. Leaky Gut As a Danger Signal for Autoimmune Diseases. *Front Immunol.* 2017 May 23;8:598.
277. Morris G, Berk M, Carvalho AF, Caso JR, Sanz Y, Maes M. The role of microbiota and intestinal permeability in the pathophysiology of autoimmune and neuroimmune processes with an emphasis on inflammatory bowel disease type 1 diabetes and chronic fatigue syndrome. *Curr Pharm Des.* 2016;22(40):6058-6075.
278. Lerner A, Matthias T. Changes in intestinal tight junction permeability associated with industrial food additives explain the rising incidence of autoimmune disease. *Autoimmun Rev.* 2015 Jun;14(6):479-89.
279. Fasano A. Leaky gut and autoimmune diseases. *Clin Rev Allergy Immunol.* 2012 Feb;42(1):71-8.
280. Segura Molina E, Chover González AJ, Partida Palma F, Freire Macías JM, García Curiel A, Ortega Alvaro A, Gómez Molinero M, Escobar Jiménez L. Analysis of gastric emptying dynamics in relationship to qualitative composition of intake. Comparison between normal-weight and obese subjects. *Rev Esp Med Nucl.* 2006 May-Jun;25(3):172-9.
281. Abbott RD, Sadowski A, Alt AG. Efficacy of the autoimmune protocol diet as part of a multi-disciplinary, Supported lifestyle intervention for hashimoto's thyroiditis. *Cureus.* 2019 Apr 27;11(4):e4556.
282. Manzel A, Muller DN, Hafler DA, Erdman SE, Linker RA, Kleinewietfeld M. Role of "Western diet" in inflammatory autoimmune diseases. *Curr Allergy Asthma Rep.* 2014 Jan;14(1):404
283. Vojdani A. Detection of IgE, IgG, IgA and IgM antibodies against raw and processed food antigens. *Nutr Metab (Lond).* 2009 May 12;6:22.

284. Virtanen SM, Nevalainen J, Kronberg-Kippilä C, Ahonen S, Tapanainen H, Uusitalo L, Takkinen HM, Niinistö S, Ovaskainen ML, Kenward MG, Veijola R, Ilonen J, Simell O, Knip M. Food consumption and advanced β cell autoimmunity in young children with HLA-conferred susceptibility to type 1 diabetes: a nested case-control design. *Am J Clin Nutr*. 2012 Feb;95(2):471-8.
285. Leidy HJ, Racki EM. The addition of a protein-rich breakfast and its effects on acute appetite control and food intake in 'breakfast-skipping' adolescents. *Int J Obes (Lond)*. 2010 Jul;34(7):1125-33
286. Irvine P, Mouzet JB, Marteau C, Sallé A, Genaitay M, Favreau AM, Berrut G, Ritz P. Short-term effect of a protein load on appetite and food intake in diseased mildly undernourished elderly people. *Clin Nutr*. 2004 Oct;23(5):1146-52.
287. Benvenga S, Vita R, Di Bari F, Granese R, Metro D, Le Donne M. Stable consumption of swordfish favors, whereas stable consumption of oily fish protects from, development of postpartum thyroiditis. *Endocrine*. 2019 Jul;65(1):94-101.
288. Benvenga S, Vigo MT, Metro D, Granese R, Vita R, Le Donne M. Type of fish consumed and thyroid autoimmunity in pregnancy and postpartum. *Endocrine*. 2016 Apr;52(1):120-9.
289. Löfvenborg JE, Andersson T, Carlsson PO, Dorkhan M, Groop L, Martinell M, Tuomi T, Wolk A, Carlsson S. Fatty fish consumption and risk of latent autoimmune diabetes in adults. *Nutr Diabetes*. 2014 Oct 20;4:e139.
290. Borzoei S, Neovius M, Barkeling B, Teixeira-Pinto A, Rössner S. A comparison of effects of fish and beef protein on satiety in normal weight men. *Eur J Clin Nutr*. 2006 Jul;60(7):897-902.
291. Fuhrman J, Sarter B, Calabro DJ. Brief case reports of medically supervised, water-only fasting associated with remission of autoimmune disease. *Altern Ther Health Med*. 2002 Jul-Aug;8(4):112, 110-1
292. Cignarella F, Cantoni C, Ghezzi L, Salter A, Dorsett Y, Chen L, Phillips D, Weinstock GM, Fontana L, Cross AH, Zhou Y, Piccio L. Intermittent fasting confers protection in CNS autoimmunity by altering the gut microbiota. *Cell Metab*. 2018 Jun 5;27(6):1222-1235.e6.
293. Choi IY, Piccio L, Childress P, Bollman B, Ghosh A, Brandhorst S, Suarez J, Michalsen A, Cross AH, Morgan TE, Wei M, Paul F, Bock M, Longo VD. A diet mimicking fasting promotes regeneration and reduces autoimmunity and multiple sclerosis symptoms. *Cell Rep*. 2016 Jun 7;15(10):2136-2146.
294. Choi IY, Lee C, Longo VD. Nutrition and fasting mimicking diets in the prevention and treatment of autoimmune diseases and immunosenescence. *Mol Cell Endocrinol*. 2017 Nov 5;455:4-12.
295. Fort P, Moses N, Fasano M, Goldberg T, Lifshitz F. Breast and soy-formula feedings in early infancy and the prevalence of autoimmune thyroid disease in children. *J Am Coll Nutr*. 1990 Apr;9(2):164-7.
296. Coucke F. Food intolerance in patients with manifest autoimmunity. Observational study. *Autoimmun Rev*. 2018 Nov;17(11):1078-1080.
297. Lamb MM, Miller M, Seifert JA, Frederiksen B, Kroehl M, Rewers M, Norris JM. The effect of childhood cow's milk intake and HLA-DR genotype on risk of islet autoimmunity and type 1 diabetes: the Diabetes Autoimmunity Study in the Young. *Pediatr Diabetes*. 2015 Feb;16(1):31-8.
298. Berdanier CD. Diet, autoimmunity, and insulin-dependent diabetes mellitus: a controversy. *Proc Soc Exp Biol Med*. 1995 Jul;209(3):223-30.
299. Virtanen SM, Nevalainen J, Kronberg-Kippilä C, Ahonen S, Tapanainen H, Uusitalo L, Takkinen HM, Niinistö S, Ovaskainen ML, Kenward MG, Veijola R,

- Ilonen J, Simell O, Knip M. Food consumption and advanced β cell autoimmunity in young children with HLA-conferred susceptibility to type 1 diabetes: a nested case-control design. *Am J Clin Nutr*. 2012 Feb;95(2):471-8.
300. Esposito T, Lobaccaro JM, Esposito MG, Monda V, Messina A, Paolisso G, Varriale B, Monda M, Messina G. Effects of low-carbohydrate diet therapy in overweight subjects with autoimmune thyroiditis: possible synergism with ChREBP. *Drug Des Devel Ther*. 2016 Sep 14;10:2939-2946.
301. Krysiak R, Szkróbka W, Okopień B. The Effect of gluten-free diet on thyroid autoimmunity in drug-naïve women with Hashimoto's thyroiditis: A Pilot Study. *Exp Clin Endocrinol Diabetes*. 2019 Jul;127(7):417-422.
302. Valentino R, Savastano S, Tommaselli AP, Dorato M, Scarpitta MT, Gigante M, Lombardi G, Troncone R. Unusual association of thyroiditis, Addison's disease, ovarian failure and celiac disease in a young woman. *J Endocrinol Invest*. 1999 May;22(5):390-4.
303. Liontiris MI, Mazokopakis EE. A concise review of Hashimoto thyroiditis (HT) and the importance of iodine, selenium, vitamin D and gluten on the autoimmunity and dietary management of HT patients. Points that need more investigation. *Hell J Nucl Med*. 2017 Jan-Apr;20(1):51-56.
304. Hakola L, Miettinen ME, Syrjälä E, Åkerlund M, Takkinen HM, Korhonen TE, Ahonen S, Ilonen J, Toppari J, Veijola R, Nevalainen J, Knip M, Virtanen SM. Association of Cereal, Gluten, and Dietary Fiber Intake With Islet Autoimmunity and Type 1 Diabetes. *JAMA Pediatr*. 2019 Aug 12. [Epub ahead of print] (
305. Patrick C, Wang GS, Lefebvre DE, Crookshank JA, Sonier B, Eberhard C, Mojibian M, Kennedy CR, Brooks SP, Kalmokoff ML, Maglio M, Troncone R, Poussier P, Scott FW. Promotion of autoimmune diabetes by cereal diet in the presence or absence of microbes associated with gut immune activation, regulatory imbalance, and altered cathelicidin antimicrobial Peptide. *Diabetes*. 2013 Jun;62(6):2036-47.
306. Henschel AM, Cabrera SM, Kaldunski ML, Jia S, Geoffrey R, Roethle MF, Lam V, Chen YG, Wang X, Salzman NH, Hessner MJ. Modulation of the diet and gastrointestinal microbiota normalizes systemic inflammation and β -cell chemokine expression associated with autoimmune diabetes susceptibility. *PLoS One*. 2018 Jan 2;13(1):e0190351.
307. Sachmechi I, Khalid A, Awan SI, Malik ZR, Sharifzadeh M. Autoimmune Thyroiditis with Hypothyroidism Induced by Sugar Substitutes. *Cureus*. 2018 Sep 7;10(9):e3268.
308. Lamichhane S, Kempainen E, Trošt K, Siljander H, Hyöty H, Ilonen J, Toppari J, Veijola R, Hyötyläinen T, Knip M, Orešič M. Circulating metabolites in progression to islet autoimmunity and type 1 diabetes. *Diabetologia*. 2019 Dec;62(12):2287-2297.
309. Lamb MM, Frederiksen B, Seifert JA, Kroehl M, Rewers M, Norris JM. Sugar intake is associated with progression from islet autoimmunity to type 1 diabetes: the Diabetes Autoimmunity Study in the Young. *Diabetologia*. 2015 Sep;58(9):2027-34.
310. Andersson T, Carlsson PO, Dorkhan M, Groop L, Martinell M, Tuomi T, Wolk A, Carlsson S. Sweetened beverage intake and risk of latent autoimmune diabetes in adults (LADA) and type 2 diabetes. *Eur J Endocrinol*. 2016 Dec;175(6):605-614.
311. Dargahi N, Johnson J, Donkor O, Vasiljevic T, Apostolopoulos V. Immunomodulatory effects of probiotics: Can they be used to treat allergies and autoimmune diseases? *Maturitas*. 2019 Jan;119:25-38.
312. Liu Y, Alookaran JJ, Rhoads JM. Probiotics in Autoimmune and Inflammatory Disorders. *Nutrients*. 2018 Oct 18;10(10).

313. Xu RY, Wan YP, Zhou YQ, Lu LP, Chen ZQ, Wu YJ, Cai W. Glutamine-supplemented parenteral nutrition and probiotics in four adult autoimmune enteropathy patients. *Gut Liver*. 2014 May;8(3):324-8.
314. Uusitalo U, Liu X, Yang J, Aronsson CA, Hummel S, Butterworth M, Lernmark Å, Rewers M, Hagopian W, She JX, Simell O, Toppari J, Ziegler AG, Akolkar B, Krischer J, Norris JM, Virtanen SM; TEDDY Study Group. Association of Early Exposure of Probiotics and Islet Autoimmunity in the TEDDY Study. *JAMA Pediatr*. 2016 Jan;170(1):20-8.
315. Rasic-Milutinovic Z, Jovanovic D, Bogdanovic G, Trifunovic J, Mutic J. Potential Influence of Selenium, Copper, Zinc and Cadmium on L-Thyroxine Substitution in Patients with Hashimoto Thyroiditis and Hypothyroidism. *Exp Clin Endocrinol Diabetes*. 2017 Feb;125(2):79-85.
316. Erdal M, Sahin M, Hasimi A, Uckaya G, Kutlu M, Saglam K. Trace element levels in Hashimoto thyroiditis patients with subclinical hypothyroidism. *Biol Trace Elem Res*. 2008 Summer;123(1-3):1-7.
317. Krysiak R, Szkróbka W, Okopień B. The Effect of Gluten-Free Diet on Thyroid Autoimmunity in Drug-Naïve Women with Hashimoto's Thyroiditis: A Pilot Study. *Exp Clin Endocrinol Diabetes*. 2019 Jul;127(7):417-422.
318. Krysiak R, Szkróbka W, Okopień B. The effect of vitamin D and selenomethionine on thyroid antibody titers, hypothalamic-pituitary-thyroid axis activity and thyroid function tests in men with Hashimoto's thyroiditis: A pilot study. *Pharmacol Rep*. 2019 Apr;71(2):243-247.
319. De Pergola G, Triggiani V, Bartolomeo N, Giagulli VA, Anelli M, Masiello M, Candita V, De Bellis D, Silvestris F. Low 25 hydroxyvitamin D levels are independently associated with autoimmune thyroiditis in a cohort of apparently healthy overweight and obese subjects. *Endocr Metab Immune Disord Drug Targets*. 2018;18(6):646-652.
320. Bakr HG, Meawed TE. Relevance of 25 (OH) Vitamin D deficiency on Hashimoto's Thyroiditis. *Egypt J Immunol*. 2017 Jun;24(2):53-62.
321. Krysiak R, Szkróbka W, Okopień B. Moderate-dose simvastatin therapy potentiates the effect of vitamin D on thyroid autoimmunity in levothyroxine-treated women with Hashimoto's thyroiditis and vitamin D insufficiency. *Pharmacol Rep*. 2018 Feb;70(1):93-97.
322. Kim M, Song E, Oh HS, Park S, Kwon H, Jeon MJ, Kim WG, Kim WB, Shong YK, Kim TY. Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. *Endocrine*. 2017 Nov;58(2):332-339.
323. Ucan B, Sahin M, Sayki Arslan M, Colak Bozkurt N, Kizilgul M, Güngünes A, Cakal E, Ozbek M. Vitamin D treatment in patients with Hashimoto's thyroiditis may decrease the development of hypothyroidism. *Int J Vitam Nutr Res*. 2016 Feb;86(1-2):9-17.
324. Nalbant A, Aydin A, Karacan A, Onmez A, Tamer A, Cinemre H. Association of vitamin D insufficiency/deficiency with thyroid artery Doppler ultrasonography in patients with Hashimoto thyroiditis. *Pak J Med Sci*. 2017 Mar-Apr;33(2):295-299.
325. Krysiak R, Szkróbka W, Okopień B. The effect of vitamin D on thyroid autoimmunity in levothyroxine-treated women with Hashimoto's thyroiditis and normal vitamin D status. *Exp Clin Endocrinol Diabetes*. 2017 Apr;125(4):229-233. (titers of thyroid antibodies inversely correlated with 25-hydroxyvitamin D levels)
326. Kim D. Low vitamin D status is associated with hypothyroid Hashimoto's thyroiditis. *Hormones (Athens)*. 2016 Jul;15(3):385-393.

327. Şıklar Z, Karataş D, Doğu F, Hacıhamdioğlu B, İkincioğulları A, Berberoğlu M. Regulatory T Cells and Vitamin D Status in Children with Chronic Autoimmune Thyroiditis. *J Clin Res Pediatr Endocrinol*. 2016 Sep 1;8(3):276-81.
328. Giovinazzo S, Vicchio TM, Certo R, Alibrandi A, Palmieri O, Campennì A, Cannavò S, Trimarchi F, Ruggeri RM. Vitamin D receptor gene polymorphisms/haplotypes and serum 25(OH)D(3) levels in Hashimoto's thyroiditis. *Endocrine*. 2017 Feb;55(2):599-606.
329. Metwalley KA, Farghaly HS, Sherief T, Hussein A. Vitamin D status in children and adolescents with autoimmune thyroiditis. *J Endocrinol Invest*. 2016 Jul;39(7):793-7.
330. Maciejewski A, Wójcicka M, Roszak M, Losy J, Łacka K. Assessment of vitamin D level in autoimmune thyroiditis patients and a control group in the Polish population. *Adv Clin Exp Med*. 2015 Sep-Oct;24(5):801-6.
331. Krysiak R, Kowalcze K, Okopien B. The effect of vitamin D on thyroid autoimmunity in non-lactating women with postpartum thyroiditis. *Eur J Clin Nutr*. 2016 May;70(5):637-9.
332. Mazokopakis EE, Papadomanolaki MG, Tsekouras KC, Evangelopoulos AD, Kotsiris DA, Tzortzinis AA. Is vitamin D related to pathogenesis and treatment of Hashimoto's thyroiditis? *Hell J Nucl Med*. 2015 Sep-Dec;18(3):222-7.
333. Evliyaoğlu O, Acar M, Özcabı B, Erginöz E, Bucak F, Ercan O, Kucur M. Vitamin D deficiency and Hashimoto's thyroiditis in children and adolescents: a critical vitamin D level for this association? *J Clin Res Pediatr Endocrinol*. 2015 Jun;7(2):128-33.
334. Arslan MS, Topaloglu O, Ucan B, Karakose M, Karbek B, Tural E, Caliskan M, Ginis Z, Cakal E, Sahin M, Ozbek M, Delibasi T. Isolated vitamin D deficiency is not associated with nonthyroidal illness syndrome, but with thyroid autoimmunity. *ScientificWorldJournal*. 2015;2015:239815.
335. Shin DY, Kim KJ, Kim D, Hwang S, Lee EJ. Low serum vitamin D is associated with anti-thyroid peroxidase antibody in autoimmune thyroiditis. *Yonsei Med J*. 2014 Mar;55(2):476-81.
336. Unal AD, Tarcin O, Parildar H, Cigerli O, Eroglu H, Demirag NG. Vitamin D deficiency is related to thyroid antibodies in autoimmune thyroiditis. *Cent Eur J Immunol*. 2014;39(4):493-7.
337. Bozkurt NC, Karbek B, Ucan B, Sahin M, Cakal E, Ozbek M, Delibasi T. The association between severity of vitamin D deficiency and Hashimoto's thyroiditis. *Endocr Pract*. 2013 May-Jun;19(3):479-84.
338. Camurdan OM, Döğer E, Bideci A, Celik N, Cinaz P. Vitamin D status in children with Hashimoto thyroiditis. *J Pediatr Endocrinol Metab*. 2012;25(5-6):467-70.
339. Tamer G, Arik S, Tamer I, Coksert D. Relative vitamin D insufficiency in Hashimoto's thyroiditis. *Thyroid*. 2011 Aug;21(8):891-6.
340. de Farias CR, Cardoso BR, de Oliveira GM, de Mello Guazzelli IC, Catarino RM, Chammas MC, Cozzolino SM, Knobel M. A randomized-controlled, double-blind study of the impact of selenium supplementation on thyroid autoimmunity and inflammation with focus on the GPx1 genotypes. *J Endocrinol Invest*. 2015 Oct;38(10):1065-74.
341. Zhu L, Bai X, Teng WP, Shan ZY, Wang WW, Fan CL, Wang H, Zhang HM. [Effects of selenium supplementation on antibodies of autoimmune thyroiditis]. *Zhonghua Yi Xue Za Zhi*. 2012 Aug 28;92(32):2256-60.

342. Bhuyan AK, Sarma D, Saikia UK. Selenium and the thyroid: A close-knit connection. *Indian J Endocrinol Metab.* 2012 Dec;16(Suppl 2):S354-5.
343. Ferrari SM, Fallahi P, Di Bari F, Vita R, Benvenga S, Antonelli A. Myo-inositol and selenium reduce the risk of developing overt hypothyroidism in patients with autoimmune thyroiditis. *Eur Rev Med Pharmacol Sci.* 2017 Jun;21(2 Suppl):36-42.
344. Nordio M, Basciani S. Treatment with myo-inositol and selenium ensures euthyroidism in patients with autoimmune thyroiditis. *Int J Endocrinol.* 2017;2017:2549491.
345. Chahardoli R, Saboor-Yaraghi AA, Amouzegar A, Khalili D, Vakili AZ, Azizi F. Can supplementation with vitamin D modify thyroid autoantibodies (Anti-TPO Ab, Anti-Tg Ab) and thyroid profile (T3, T4, TSH) in Hashimoto's thyroiditis? A double blind, randomized clinical trial. *Horm Metab Res.* 2019 May;51(5):296-301.
346. Krysiak R, Kowalcze K, Okopień B. Selenomethionine potentiates the impact of vitamin D on thyroid autoimmunity in euthyroid women with Hashimoto's thyroiditis and low vitamin D status. *Pharmacol Rep.* 2019 Apr;71(2):367-373.
347. Krysiak R, Szkróbka W, Okopień B. The effect of vitamin D and selenomethionine on thyroid antibody titers, hypothalamic-pituitary-thyroid axis activity and thyroid function tests in men with Hashimoto's thyroiditis: A pilot study. *Pharmacol Rep.* 2019 Apr;71(2):243-247.
348. Krysiak R, Szkróbka W, Okopień B. Moderate-dose simvastatin therapy potentiates the effect of vitamin D on thyroid autoimmunity in levothyroxine-treated women with Hashimoto's thyroiditis and vitamin D insufficiency. *Pharmacol Rep.* 2018 Feb;70(1):93-97.
349. Krysiak R, Szkróbka W, Okopień B. The effect of vitamin D on thyroid autoimmunity in levothyroxine-treated women with Hashimoto's thyroiditis and normal vitamin D status. *Exp Clin Endocrinol Diabetes.* 2017 Apr;125(4):229-233.
350. Simsek Y, Cakır I, Yetmiş M, Dizdar OS, Baspınar O, Gokay F. Effects of Vitamin D treatment on thyroid autoimmunity. *J Res Med Sci.* 2016 Oct 18;21:85.
351. Krysiak R, Kowalcze K, Okopien B. The effect of vitamin D on thyroid autoimmunity in non-lactating women with postpartum thyroiditis. *Eur J Clin Nutr.* 2016 May;70(5):637-9.
352. Krysiak R, Kowalcze K, Okopień B. The effect of vitamin D on thyroid autoimmunity in euthyroid men with autoimmune thyroiditis and testosterone deficiency. *Pharmacol Rep.* 2019 Oct;71(5):798-803.
353. Ucan B, Sahin M, Sayki Arslan M, Colak Bozkurt N, Kizilgul M, Güngünes A, Cakal E, Ozbek M. Vitamin D treatment in patients with Hashimoto's thyroiditis may decrease the development of hypothyroidism. *Int J Vitam Nutr Res.* 2016 Feb;86(1-2):9-17.
354. Mazokopakis EE, Papadomanolaki MG, Tsekouras KC, Evangelopoulos AD, Kotsiris DA, Tzortzinis AA. Is vitamin D related to pathogenesis and treatment of Hashimoto's thyroiditis? *Hell J Nucl Med.* 2015 Sep-Dec;18(3):222-7.
355. Kim M, Song E, Oh HS, Park S, Kwon H, Jeon MJ, Kim WG, Kim WB, Shong YK, Kim TY. Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. *Endocrine.* 2017 Nov;58(2):332-339.
356. Andersen S, Iversen F, Terpling S, Pedersen KM, Gustenhoff P, Laurberg P. Iodine deficiency influences thyroid autoimmunity in old age—a comparative population-based study. *Maturitas.* 2012 Jan;71(1):39-43.

357. Ergür AT, Evliyaoğlu O, Şıklar Z, Bilir P, Öcal G, Berberoğlu M. Evaluation of thyroid functions with respect to iodine status and TRH test in chronic autoimmune thyroiditis. *J Clin Res Pediatr Endocrinol*. 2011;3(1):18-21.
358. Bayram F, Beyazyildiz A, Gökçe C, Budak N, Erdoğan N, Kurtoğlu S, Kula M, Unlühizarci K, Keleştimur F. The prevalence of iodine deficiency, serum thyroglobulin, anti-thyroglobulin and thyroid peroxidase antibody levels in the urban areas of Kayseri, Central Anatolia. *Exp Clin Endocrinol Diabetes*. 2009 Feb;117(2):64-8.
359. Jonckheer MH, Vanhaelst L, Deconinck F, Michotte Y. Atrophic autoimmune thyroiditis: relationship between the clinical state and intrathyroidal iodine as measured in vivo in man. *J Clin Endocrinol Metab*. 1981 Sep;53(3):476-9.
360. Yamamoto M, Saito S, Sakurada T, Kaise K, Kaise N, Yoshida K, Kitaoka H, Fukazawa H, Yoshinaga K. Abnormalities of iodine and protein in the thyroid of patients with Hashimoto's thyroiditis. *Tohoku J Exp Med*. 1981 Nov;135(3):323-30.
361. Mazziotti G, Premawardhana LD, Parkes AB, Adams H, Smyth PP, Smith DF, Kaluarachi WN, Wijeyaratne CN, Jayasinghe A, de Silva DG, Lazarus JH. Evolution of thyroid autoimmunity during iodine prophylaxis—the Sri Lankan experience. *Eur J Endocrinol*. 2003 Aug;149(2):103-10.
362. Flores-Rebollar A, Moreno-Castañeda L, Vega-Servín NS, López-Carrasco G, Ruiz-Juvera A. Prevalence of autoimmune thyroiditis and thyroid dysfunction in healthy adult Mexicans with a slightly excessive iodine intake. *Nutr Hosp*. 2015 Aug 1;32(2):918-24.
363. Teng X, Shan Z, Chen Y, Lai Y, Yu J, Shan L, Bai X, Li Y, Li N, Li Z, Wang S, Xing Q, Xue H, Zhu L, Hou X, Fan C, Teng W. More than adequate iodine intake may increase subclinical hypothyroidism and autoimmune thyroiditis: a cross-sectional study based on two Chinese communities with different iodine intake levels. *Eur J Endocrinol*. 2011 Jun;164(6):943-50.
364. Bastemir M, Emral R, Erdogan G, Gullu S. High prevalence of thyroid dysfunction and autoimmune thyroiditis in adolescents after elimination of iodine deficiency in the Eastern Black Sea Region of Turkey. *Thyroid*. 2006 Dec;16(12):1265-71.
365. Zois C, Stavrou I, Kalogera C, Svarna E, Dimoliatis I, Seferiadis K, Tsatsoulis A. High prevalence of autoimmune thyroiditis in schoolchildren after elimination of iodine deficiency in northwestern Greece. *Thyroid*. 2003 May;13(5):485-9.
366. Papanastasiou L, Alevizaki M, Pipingos G, Mantzos E, Tseleni-Balafouta S, Koutras DA. The effect of iodine administration on the development of thyroid autoimmunity in patients with nontoxic goiter. *Thyroid*. 2000 Jun;10(6):493-7.
367. Reinhardt W, Luster M, Rudorff KH, Heckmann C, Petrasch S, Lederbogen S, Haase R, Saller B, Reiners C, Reinwein D, Mann K. Effect of small doses of iodine on thyroid function in patients with Hashimoto's thyroiditis residing in an area of mild iodine deficiency. *Eur J Endocrinol*. 1998 Jul;139(1):23-8.
368. Boyages SC, Bloot AM, Maberly GF, Eastman CJ, Li M, Qian QD, Liu DR, van der Gaag RD, Drexhage HA. Thyroid autoimmunity in endemic goitre caused by excessive iodine intake. *Clin Endocrinol (Oxf)*. 1989 Oct;31(4):453-65.
369. Fragu P, Schlumberger M, Tubiana M. Thyroid iodine content and serum thyroid hormone levels in autoimmune thyroiditis: effect of iodide supplementation. *J Nucl Med*. 1985 Feb;26(2):133-9.
370. Meng W, Schindler A, Spieker K, Krabbe S, Behnke N, Schulze W, Blümel C. Iodine therapy for iodine deficiency goiter and autoimmune thyroiditis. A prospective study. *Med Klin (Munich)*. 1999 Nov 15;94(11):597-602.

371. Rink T, Schroth HJ, Holle LH, Garth H. Effect of iodine and thyroid hormones in the induction and therapy of Hashimoto's thyroiditis. *Nuklearmedizin*. 1999;38(5):144-9.
372. Xue H, Wang W, Li Y, Shan Z, Li Y, Teng X, Gao Y, Fan C, Teng W. Selenium upregulates CD4(+)CD25(+) regulatory T cells in iodine-induced autoimmune thyroiditis model of NOD.H-2(h4) mice. *Endocr J*. 2010;57(7):595-601.
373. Selenium treatment reduces in mice Xu J, Liu XL, Yang XF, Guo HL, Zhao LN, Sun XF. Supplemental selenium alleviates the toxic effects of excessive iodine on thyroid. *Biol Trace Elem Res*. 2011 Jun;141(1-3):110-8.
374. Xu J, Yang XF, Guo HL, Hou XH, Liu LG, Sun XF. Selenium supplement alleviated the toxic effects of excessive iodine in mice. *Biol Trace Elem Res*. 2006 Summer;111(1-3):229-38.
375. Beckett GJ, Nicol F, Rae PW, Beech S, Guo Y, Arthur JR. Effects of combined iodine and selenium deficiency on thyroid hormone metabolism in rats. *Am J Clin Nutr*. 1993 Feb;57(2 Suppl):240S-243S.
376. Halade GV, Rahman MM, Bhattacharya A, Barnes JL, Chandrasekar B, Fernandes G. Docosahexaenoic acid-enriched fish oil attenuates kidney disease and prolongs median and maximal life span of autoimmune lupus-prone mice. *J Immunol*. 2010 May 1;184(9):5280-6.
377. Robinson DR, Xu LL, Tateno S, Guo M, Colvin RB. Suppression of autoimmune disease by dietary n-3 fatty acids. *J Lipid Res*. 1993 Aug;34(8):1435-44.
378. Pestka JJ. n-3 polyunsaturated fatty acids and autoimmune-mediated glomerulonephritis. *Prostaglandins Leukot Essent Fatty Acids*. 2010 Apr-Jun;82(4-6):251-8.
379. Kong W, Yen JH, Ganea D. Docosahexaenoic acid prevents dendritic cell maturation, inhibits antigen-specific Th1/Th17 differentiation and suppresses experimental autoimmune encephalomyelitis. *Brain Behav Immun*. 2011 Jul;25(5):872-82.
380. Korzeniowska K, Jarosz-Chobot P, Szybowska A, Ramotowska A, Fendler W, Kalina-Faska B, Szadkowska A, Mlynarski W, Mysliwiec M. L-thyroxine stabilizes autoimmune inflammatory process in euthyroid nongoitrous children with Hashimoto's thyroiditis and type 1 diabetes mellitus. *J Clin Res Pediatr Endocrinol*. 2013;5(4):240-4.
381. Yamauchi K, Yamada T, Sato A, Inazawa K, Aizawa T. Elevation of serum immunoglobulin G in Hashimoto's thyroiditis and decrease after treatment with L-thyroxine in hypothyroid patients. *Intern Med*. 2010;49(4):267-71.
382. Guclu F, Ozmen B, Kirmaz C, Kafesciler SO, Degirmenci PB, Taneli F, Hekimsoy Z. Down-regulation of the auto-aggressive processes in patients with hypothyroid Hashimoto's thyroiditis following substitutive treatment with L-thyroxine. *Eur Cytokine Netw*. 2009 Mar;20(1):27-32.
383. Revelli A, Casano S, Piane LD, Grassi G, Gennarelli G, Guidetti D, Massobrio M. A retrospective study on IVF outcome in euthyroid patients with anti-thyroid antibodies: effects of levothyroxine, acetyl-salicylic acid and prednisolone adjuvant treatments. *Reprod Biol Endocrinol*. 2009 Nov 27;7:137.
384. Schmidt M, Voell M, Rahlff I, Dietlein M, Kobe C, Faust M, Schicha H. Long-term follow-up of antithyroid peroxidase antibodies in patients with chronic autoimmune thyroiditis (Hashimoto's thyroiditis) treated with levothyroxine. *Thyroid*. 2008 Jul;18(7):755-60.

385. Aksoy DY, Kerimoglu U, Okur H, Canpinar H, Karaağaoğlu E, Yetgin S, Kansu E, Gedik O. Effects of prophylactic thyroid hormone replacement in euthyroid Hashimoto's thyroiditis. *Endocr J*. 2005 Jun;52(3):337-43.
386. Khoo DH, Eng PH, Ho SC, Fok AC. Differences in the levels of TSH-binding inhibitor immunoglobulins in goitrous and agoitrous autoimmune thyroiditis after twelve months of L-thyroxine therapy. *Clin Endocrinol (Oxf)*. 1999 Jul;51(1):73-9.
387. Romaldini JH, Biancalana MM, Figueiredo DI, Farah CS, Mathias PC. Effect of L-thyroxine administration on antithyroid antibody levels, lipid profile, and thyroid volume in patients with Hashimoto's thyroiditis. *Thyroid*. 1996 Jun;6(3):183-8.
388. Rieu M, Richard A, Rosilio M, Laplanche S, Ropion V, Fombour JP, Berrod JL. Effects of thyroid status on thyroid autoimmunity expression in euthyroid and hypothyroid patients with Hashimoto's thyroiditis. *Clin Endocrinol (Oxf)*. 1994 Apr;40(4):529-35
389. Chiovato L, Marcocci C, Mariotti S, Mori A, Pinchera A. L-thyroxine therapy induces a fall of thyroid microsomal and thyroglobulin antibodies in idiopathic myxedema and in hypothyroid, but not in euthyroid Hashimoto's thyroiditis. *J Endocrinol Invest*. 1986 Aug;9(4):299-305.
390. Padberg S, Heller K, Usadel KH, Schumm-Draeger PM. One-year prophylactic treatment of euthyroid Hashimoto's thyroiditis patients with levothyroxine: is there a benefit? *Thyroid*. 2001 Mar;11(3):249-55.
391. Rink T, Schroth HJ, Holle LH, Garth H. Effect of iodine and thyroid hormones in the induction and therapy of Hashimoto's thyroiditis] *Nuklearmedizin*. 1999;38(5):144-9.
392. Chiovato L, Marcocci C, Mariotti S, Mori A, Pinchera A. L-thyroxine therapy induces a fall of thyroid microsomal and thyroglobulin antibodies in idiopathic myxedema and in hypothyroid, but not in euthyroid Hashimoto's thyroiditis. *J Endocrinol Invest*. 1986 Aug;9(4):299-305.
393. Revelli A, Casano S, Piane LD, Grassi G, Gennarelli G, Guidetti D, Massobrio M. A retrospective study on IVF outcome in euthyroid patients with anti-thyroid antibodies: effects of levothyroxine, acetyl-salicylic acid and prednisolone adjuvant treatments. *Reprod Biol Endocrinol*. 2009 Nov 27;7:137.
394. Ito S, Tamura T, Nishikawa M. Effects of desiccated thyroid, prednisolone and chloroquine on goiter and antibody titer in chronic thyroiditis. *Metabolism*. 1968 Apr;17(4):317-25.
395. Litwicka K, Arrivi C, Varricchio MT, Mencacci C, Greco E. In women with thyroid autoimmunity, does low-dose prednisolone administration, compared with no adjuvant therapy, improve in vitro fertilization clinical results? *J Obstet Gynaecol Res*. 2015 May;41(5):722-8.
396. Ott J, Pecnik P, Promberger R, Pils S, Seemann R, Hermann M, Frigo P. Dehydroepiandrosterone in women with premature ovarian failure and Hashimoto's thyroiditis. *Climacteric*. 2014 Feb;17(1):92-6.
397. Solerte SB, Precerutti S, Gazzaruso C, Locatelli E, Zamboni M, Schifino N, Bonacasa R, Rondanelli M, Taccani D, Ferrari E, Fioravanti M. Defect of a subpopulation of natural killer immune cells in Graves' disease and Hashimoto's thyroiditis: normalizing effect of dehydroepiandrosterone sulfate. *Eur J Endocrinol*. 2005 May;152(5):703-12.
398. Krysiak R, Kowalcze K, Okopień B. The effect of testosterone on thyroid autoimmunity in euthyroid men with Hashimoto's thyroiditis and low testosterone levels. *J Clin Pharm Ther*. 2019 Oct;44(5):742-749.

399. Ansar Ahmed S, Young PR, Penhale WJ. Beneficial effect of testosterone in the treatment of chronic autoimmune thyroiditis in rats. *J Immunol.* 1986 Jan;136(1):143-7.
400. Ahmed SA, Penhale WJ. The influence of testosterone on the development of autoimmune thyroiditis in thymectomized and irradiated rats. *Clin Exp Immunol.* 1982 May;48(2):367-74.
401. Fässler R, Dietrich H, Krömer G, Böck G, Brezinschek HP, Wick G. The role of testosterone in spontaneous autoimmune thyroiditis of Obese strain (OS) chickens. *J Autoimmun.* 1988 Feb;1(1):97-108.
402. Gause WC, Marsh JA. Effects of testosterone on the development of autoimmune thyroiditis in two strains of chicken. *Clin Immunol Immunopathol.* 1985 Jul;36(1):10-7.
403. Navarro MA, Vidaller A, Bonnín MR, Mitjavila F, Ortolá JB, Moga I, Pac MV. Salivary testosterone during the menstrual cycle in women with systemic lupus erythematosus. *Lupus.* 1997;6(5):484-5.
404. Macció DR, Calfa G, Roth GA. Oral testosterone in male rats and the development of experimental autoimmune encephalomyelitis. *Neuroimmunomodulation.* 2005;12(4):246-54. PubMed PMID: 15990455.
405. Dalal M, Kim S, Voskuhl RR. Testosterone therapy ameliorates experimental autoimmune encephalomyelitis and induces a T helper 2 bias in the autoantigen-specific T lymphocyte response. *J Immunol.* 1997 Jul 1;159(1):3-6.
406. Ziehn MO, Avedisian AA, Dervin SM, Umeda EA, O'Dell TJ, Voskuhl RR. Therapeutic testosterone administration preserves excitatory synaptic transmission in the hippocampus during autoimmune demyelinating disease. *J Neurosci.* 2012 Sep 5;32(36):12312-24.
407. Heiry M, Afra P, Matsuo F, Greenlee JE, Clardy SL. Improvement of GAD65-associated autoimmune epilepsy with testosterone replacement therapy. *Neurol Neuroimmunol Neuroinflamm.* 2015 Aug 13;2(5):e142.
408. Frye C. Hormonal influences on seizures: basic neurobiology. *Int Rev Neurobiol.* 2008;83:27-77.
409. Frye C. The role of androgens in epilepsy. *Expert Rev Neurother.* 2006;6:1061-76.
410. Herzog AG. Psychoneuroendocrine aspects of temporolimbic epilepsy. Part II: epilepsy and reproductive steroids. *Psychosomatics.* 1999;40:102-8.
411. Bizzarro A, Valentini G, Di Martino G, DaPonte A, De Bellis A, Iacono G. Influence of testosterone therapy on clinical and immunological features of autoimmune diseases associated with Klinefelter's syndrome. *J Clin Endocrinol Metab.* 1987 Jan;64(1):32-6.
412. Vendramini AC, Soo C, Sullivan DA. Testosterone-induced suppression of autoimmune disease in lacrimal tissue of a mouse model (NZB/NZW F1) of Sjögren's syndrome. *Invest Ophthalmol Vis Sci.* 1991 Oct;32(11):3002-6.
413. Ocon A, Peredo-Wende R, Kremer JM, Bhatt BD. Significant symptomatic improvement of subacute cutaneous lupus after testosterone therapy in a female-to-male transgender subject. *Lupus.* 2018 Feb;27(2):347-348.
414. Gordon C, Wallace DJ, Shinada S, Kalunian KC, Forbess L, Braunstein GD, Weisman MH. Testosterone patches in the management of patients with mild/moderate systemic lupus erythematosus. *Rheumatology (Oxford).* 2008 Mar;47(3):334-8.

415. Kanda N, Tsuchida T, Tamaki K. Testosterone suppresses anti-DNA antibody production in peripheral blood mononuclear cells from patients with systemic lupus erythematosus. *Arthritis Rheum.* 1997 Sep;40(9):1703-11.
416. Olsen NJ, Kovacs WJ. Case report: testosterone treatment of systemic lupus erythematosus in a patient with Klinefelter's syndrome. *Am J Med Sci.* 1995 Oct;310(4):158-60.
417. Bizzarro A, Valentini G, Di Martino G, DaPonte A, De Bellis A, Iacono G. Influence of testosterone therapy on clinical and immunological features of autoimmune diseases associated with Klinefelter's syndrome. *J Clin Endocrinol Metab.* 1987 Jan;64(1):32-6.
418. Costello MJ, Singer JJ. Lupus erythematosus, chronic disseminated type, showing a dramatic response to testosterone therapy. *AMA Arch Derm Syphilol.* 1952 May;65(5):631-2.
419. Verheul HA, Deckers GH, Schuurs AH. Effects of nandrolone decanoate or testosterone decanoate on murine lupus: further evidence for a dissociation of autoimmunosuppressive and endocrine effects. *Immunopharmacology.* 1986 Apr;11(2):93-9.
420. Verheul HA, Stimson WH, den Hollander FC, Schuurs AH. The effects of nandrolone, testosterone and their decanoate esters on murine lupus. *Clin Exp Immunol.* 1981 Apr;44(1):11-7.
421. Fijak M, Schneider E, Klug J, Bhushan S, Hackstein H, Schuler G, Wygrecka M, Gromoll J, Meinhardt A. Testosterone replacement effectively inhibits the development of experimental autoimmune orchitis in rats: evidence for a direct role of testosterone on regulatory T cell expansion. *J Immunol.* 2011 May 1;186(9):5162-72.
422. Haider A, Gooren LJ, Padungtod P, Saad F. Concurrent improvement of the metabolic syndrome and lower urinary tract symptoms upon normalisation of plasma testosterone levels in hypogonadal elderly men. *Andrologia.* 2009 Feb;41(1):7-13.
423. Morton JJ, Weyant DA, Siegel BV, Golding B. Androgen sensitivity and autoimmune disease. I. Influence of sex and testosterone on the humoral immune response of autoimmune and non-autoimmune mouse strains to sheep erythrocytes. *Immunology.* 1981 Dec;44(4):661-9.
424. Burek CL, Rose NR. Cell-mediated immunity in autoimmune thyroid disease. *Hum Pathol.* 1986 Mar;17(3):246-53.
425. Imam S, Dar P, Paparodis R, Almotah K, Al-Khudhair A, Hasan SA, Salim N, Jaume JC. Nature of coexisting thyroid autoimmune disease determines success or failure of tumor immunity in thyroid cancer. *J Immunother Cancer.* 2019 Jan 7;7(1):3.
426. Solerte SB, Precerutti S, Gazzaruso C, Locatelli E, Zamboni M, Schifino N, Bonacasa R, Rondanelli M, Taccani D, Ferrari E, Fioravanti M. Defect of a subpopulation of natural killer immune cells in Graves' disease and Hashimoto's thyroiditis: normalizing effect of dehydroepiandrosterone sulfate. *Eur J Endocrinol.* 2005 May;152(5):703-12.
427. Harii N, Lewis CJ, Vasko V, et al. Thyrocytes express a functional toll-like receptor 3: overexpression can be induced by viral infection and reversed by phenylmethimazole and is associated with Hashimoto's autoimmune thyroiditis. *Mol Endocrinol.* 2005;19:1231-1250.
428. Morohoshi K, Takahashi Y, Mori K. Viral infection and innate pattern recognition receptors in induction of Hashimoto's thyroiditis. *Discov Med.* 2011 Dec;12(67):505-11.

429. Mori K, Yoshida K. Viral infection in induction of Hashimoto's thyroiditis: a key player or just a bystander? *Curr Opin Endocrinol Diabetes Obes.* 2010 Oct;17(5):418-24.
430. Vrbikova J, Janatkova I, Zamrazil V, Tomiska F, Fucikova T. Epstein-Barr virus serology in patients with autoimmune thyroiditis. *Exp Clin Endocrinol Diabetes.* 1996;104(1):89-92.
431. Thomas D, Karachaliou F, Kallergi K, et al. Herpes virus antibodies seroprevalence in children with autoimmune thyroid disease. *Endocrine.* 2008;33:171–175. The seroprevalence of EBV infection was reported to be higher in children with autoimmune thyroid disorders when compared to the controls
432. Janegova A, Janega P, Rychly B, Kuracinova K, Babal P. The role of Epstein-Barr virus infection in the development of autoimmune thyroid diseases. *Endokrynol Pol.* 2015;66(2):132-6.
433. Nagata K, Okuno K, Ochi M, Kumata K, Sano H, Yoneda N, Ueyama J, Matsushita M, Kuwamoto S, Kato M, Murakami I, Kanzaki S, Hayashi K. Production of thyrotropin receptor antibodies in acute phase of infectious mononucleosis due to Epstein-Barr virus primary infection: a case report of a child. *Springerplus.* 2015;4:456.)
434. Tozzoli R, Barzilai O, Ram M, Villalta D, Bizzaro N, Sherer Y, Shoenfeld Y.. Infections and autoimmune thyroid diseases: parallel detection of antibodies against pathogens with proteomic technology. *Autoimmun Rev.* 2008;8:112–115.
435. Dittfeld A, Gwizdek K, Michalski M, Wojnicz R. A possible link between the Epstein-Barr virus infection and autoimmune thyroid disorders. *Cent Eur J Immunol.* 2016;41(3):297-301.
436. Thomas D, Liakos V, Michou V, Kapranos N, Kaltsas G, Tsilivakos V, Tsatsoulis A. Detection of herpes virus DNA in post-operative thyroid tissue specimens of patients with autoimmune thyroid disease. *Exp Clin Endocrinol Diabetes.* 2008;116:35–39.
437. Di Crescenzo V, D'Antonio A, Tonacchera M, Carlomagno C, Vitale M. Human herpes virus associated with Hashimoto's thyroiditis. *Infez Med.* 2013 Sep;21(3):224-8.
438. Serranti D, Indolfi G, Nebbia G, Cananzi M, D'Antiga L, Ricci S, Stagi S, Azzari C, Resti M; Italian Study Group for Treatment of Chronic Hepatitis C in Children. Transient hypothyroidism and autoimmune thyroiditis in children with chronic hepatitis c treated with pegylated-interferon- α -2b and ribavirin. *Pediatr Infect Dis J.* 2018 Apr;37(4):287-291.
439. Lehmann HW, Lutterbüse N, Plentz A, Akkurt I, Albers N, Hauffa BP, Hiort O, Schoenau E, Modrow S. Association of parvovirus B19 infection and Hashimoto's thyroiditis in children. *Viral Immunol.* 2008 Sep;21(3):379-83.
440. Kawai H, Inui T, Kashiwagi S, et al. HTLV-I infection in patients with autoimmune thyroiditis (Hashimoto's thyroiditis) *J Med Virol.* 1992;38:138–141.
441. Akamine H, Takasu N, Komiya I, et al. Association of HTLV-I with autoimmune thyroiditis in patients with adult T-cell leukaemia (ATL) and in HTLV-I carriers. *Clin Endocrinol (Oxf)* 1996;45:461–466.
442. Desailoud R, Hober D. Viruses and thyroiditis: an update. *Virol J.* 2009;6:5.
443. Zandman-Goddard G, Shoenfeld Y. HIV and autoimmunity. *Autoimmun Rev.* 2002;1:329–337.
444. Drabick JJ, Horning VL, Lennox JL, Coyne PE, Oster CN, Knight RD, Dillard TA, Fuller SA, Damato JJ, Burke DS. A retrospective analysis of diseases associated with indeterminate HIV western blot patterns. *Mil Med.* 1991;156:93–96.

445. He Z, Wang T, Shan D, Zhang X, Wang G, Wang F. [Detection and analysis of serum level of anti-Candida enolase IgG antibody in patients with autoimmune diseases]. *Xi Bao Yu Fen Zi Mian Yi Xue Za Zhi*. 2017 Aug;33(8):1113-1117.
446. Gürsoy S, Koçkar T, Atik SU, Önal Z, Önal H, Adal E. Autoimmunity and intestinal colonization by *Candida albicans* in patients with type 1 diabetes at the time of the diagnosis. *Korean J Pediatr*. 2018 Jul;61(7):217-220.
447. Fraga-Silva TF, Mimura LA, Marchetti CM, Chiuso-Minicucci F, França TG, Zorzella-Pezavento SF, Venturini J, Arruda MS, Sartori A. Experimental autoimmune encephalomyelitis development is aggravated by *Candida albicans* infection. *J Immunol Res*. 2015;2015:635052.
448. Benvenega S, Santarpia L, Trimarchi F, Guarneri F. Human thyroid autoantigens and proteins of *Yersinia* and *Borrelia* share amino acid sequence homology that includes binding motifs to HLA-DR molecules and T-cell receptor. *Thyroid*. 2006 Mar;16(3):225-36.
449. Benvenega S, Guarneri F, Vaccaro M, Santarpia L, Trimarchi F. Homologies between proteins of *Borrelia burgdorferi* and thyroid autoantigens. *Thyroid*. 2004 Nov;14(11):964-6
450. Tozzoli R, Barzilai O, Ram M, et al. Infections and autoimmune thyroid diseases: parallel detection of antibodies against pathogens with proteomic technology. *Autoimmun Rev*. 2008;8:112–115.
451. Ingram KG, Crouch DA, Douez DL, Croy BA, Woodward B. Effects of triiodothyronine supplements on splenic natural killer cells in malnourished weanling mice. *Int J Immunopharmacol*. 1995 Jan;17(1):21-32.
452. Provinciali M, Muzzioli M, Fabris N. Thyroxine-dependent modulation of natural killer activity. *J Exp Pathol*. 1987 Summer;3(4):617-22.
453. Sharma SD, Tsai V, Proffitt MR. Enhancement of mouse natural killer cell activity by thyroxine. *Cell Immunol*. 1982 Oct;73(1):83-97.
454. Gala RR. Influence of thyroxine and thyroxine with growth hormone and prolactin on splenocyte subsets and on the expression of interleukin-2 and prolactin receptors on splenocyte subsets of Snell dwarf mice. *Proc Soc Exp Biol Med*. 1995 Nov;210(2):117-25.
455. Marsh JA, Johnson BE, Lillehoj HS, Scanes CG. Effect of thyroxine and chicken growth hormone on immune function in autoimmune thyroiditis (obese) strain chicks. *Proc Soc Exp Biol Med*. 1992 Jan;199(1):114-22.
456. Tomazic VJ, Novotny EA, Ordonez JV. Thymosin alpha 1-induced modulation of cellular responses and functional T-cell subsets in mice with experimental autoimmune thyroiditis. *Cell Immunol*. 1985 Jul;93(2):340-9.
457. Tomazic V, Suter CM, Chretien PB. Experimental autoimmune thyroiditis: modulation of the disease level in high and low responder mice by thymosin. *Clin Exp Immunol*. 1984 Oct;58(1):83-9.
458. Pica F, Mastino A, Grelli S, Jezzi T, Favalli C. Combined treatment with thymosin alpha 1 and interferon enhances NK activity in immunosuppressed tumor bearing mice. *J Chemother*. 1989 Jul;1(4 Suppl):1167-9.
459. Umeda Y, Sakamoto A, Nakamura J, Ishitsuka H, Yagi Y. Thymosin alpha 1 restores NK-cell activity and prevents tumor progression in mice immunosuppressed by cytostatics or X-rays. *Cancer Immunol Immunother*. 1983;15(2):78-83.
460. Favalli C, Mastino A, Jezzi T, Grelli S, Goldstein AL, Garaci E. Synergistic effect of thymosin alpha 1 and alpha beta-interferon on NK activity in tumor-bearing mice. *Int J Immunopharmacol*. 1989;11(5):443-50.

461. Matteucci C, Minutolo A, Pollicita M, Balestrieri E, Grelli S, D'Ettore G, Vullo V, Bucci I, Luchini A, Aquaro S, Sinibaldi-Vallebona P, Macchi B, Perno CF, Mastino A, Garaci E. Thymosin α 1 potentiates the release by CD8(+) cells of soluble factors able to inhibit HIV-1 and human T lymphotropic virus 1 infection in vitro. *Expert Opin Biol Ther.* 2015;15 Suppl 1:S83-100.
462. Buzoianu IC, Arghir OC, Circo E. [Smoking and chronic autoimmune thyroiditis]. *Pneumologia.* 2010 Oct-Dec;59(4):211-4.
463. Galanti MR, Cnattingius S, Granath F, Ekbom-Schnell A, Ekbom A. Smoking and environmental iodine as risk factors for thyroiditis among parous women. *Eur J Epidemiol.* 2007;22(7):467-72
464. Rasic-Milutinovic Z, Jovanovic D, Bogdanovic G, Trifunovic J, Mutic J. Potential Influence of Selenium, Copper, Zinc and Cadmium on L-Thyroxine Substitution in Patients with Hashimoto Thyroiditis and Hypothyroidism. *Exp Clin Endocrinol Diabetes.* 2017 Feb;125(2):79-85.
465. Pacini F, Vorontsova T, Molinaro E, Kuchinskaya E, Agate L, Shavrova E, Astachova L, Chiovato L, Pinchera A. Prevalence of thyroid autoantibodies in children and adolescents from Belarus exposed to the Chernobyl radioactive fallout. *Lancet.* 1998 Sep 5;352(9130):763-6.
466. Agate L, Mariotti S, Elisei R, Mossa P, Pacini F, Molinaro E, Grasso L, Masserini L, Mokhort T, Vorontsova T, Arynchyn A, Tronko MD, Tsyb A, Feldt-Rasmussen U, Juul A, Pinchera A. Thyroid autoantibodies and thyroid function in subjects exposed to Chernobyl fallout during childhood: evidence for a transient radiation-induced elevation of serum thyroid antibodies without an increase in thyroid autoimmune disease. *J Clin Endocrinol Metab.* 2008 Jul;93(7):2729-36.
467. Schell LM, Gallo MV, Ravenscroft J, DeCaprio AP. Persistent organic pollutants and anti-thyroid peroxidase levels in Akwesasne Mohawk young adults. *Environ Res.* 2009 Jan;109(1):86-92